

Percap table 1--U.S. per capita use of selected, commercially produced, fresh, and processing vegetables and melons, 1971-2012

Crop	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
<i>Pounds per person per year, farm-weight</i>																		
Asparagus, all	1.3	1.3	1.3	1.1	1.2	1.2	1.0	0.9	0.7	0.8	0.8	0.7	0.8	0.8	0.9	1.0	1.0	1.1
Fresh	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.6	0.6	0.6
Canning	0.6	0.6	0.6	0.5	0.6	0.5	0.5	0.4	0.3	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Freezing	0.3	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Snap beans, all	7.5	7.5	8.0	7.7	7.0	7.8	7.5	7.5	7.5	7.2	7.6	7.0	6.8	6.8	6.9	6.6	6.7	6.7
Fresh	1.5	1.5	1.4	1.4	1.5	1.5	1.4	1.3	1.3	1.3	1.3	1.3	1.2	1.3	1.3	1.3	1.2	1.2
Canning	4.6	4.6	4.9	4.9	4.5	4.9	4.8	4.8	4.7	4.6	4.6	4.2	4.1	3.7	3.8	3.9	3.8	3.8
Freezing	1.4	1.4	1.7	1.5	1.1	1.5	1.4	1.4	1.4	1.4	1.7	1.5	1.5	1.8	1.9	1.5	1.7	1.7
Broccoli, all 1/	1.6	1.6	1.8	1.8	2.0	2.2	2.3	2.4	2.6	2.9	3.2	3.5	3.6	4.2	4.5	4.8	5.3	6.2
Fresh	0.7	0.7	0.8	0.8	1.0	1.1	1.2	1.0	1.2	1.4	1.7	2.0	2.0	2.5	2.6	3.1	3.1	3.8
Freezing	0.9	0.9	1.0	1.0	1.0	1.1	1.1	1.4	1.4	1.5	1.6	1.5	1.6	1.7	2.0	1.8	2.2	2.4
Cabbage, all	11.3	10.6	11.0	11.1	11.0	10.6	10.5	10.6	10.1	10.0	10.2	10.3	10.3	10.3	10.3	10.2	10.7	10.4
Fresh	8.8	8.4	8.9	8.8	8.9	8.4	8.3	8.6	8.1	8.0	8.2	8.6	8.2	8.6	8.7	8.6	9.1	9.0
Canning (kraut)	2.5	2.2	2.1	2.3	2.1	2.2	2.2	2.1	2.1	2.0	2.0	1.7	2.1	1.7	1.6	1.6	1.6	1.4
Carrots, all 2/	9.5	10.4	10.7	10.7	10.0	10.0	9.0	8.7	9.6	9.6	9.6	9.6	9.5	10.7	9.7	9.5	11.4	10.5
Fresh	6.1	6.5	6.7	6.9	6.4	6.4	5.3	5.3	5.9	6.2	6.1	6.6	6.5	6.7	6.5	6.5	8.3	7.1
Canning	2.0	2.4	2.3	2.0	1.9	1.9	1.9	1.6	1.8	1.8	1.6	1.2	1.3	1.9	1.4	1.2	1.0	1.1
Freezing	1.3	1.5	1.8	1.8	1.6	1.6	1.8	1.8	1.9	1.7	1.9	1.8	1.8	2.1	1.8	1.8	2.1	2.3
Cauliflower, all 1/	1.3	1.4	1.4	1.5	1.5	1.6	1.8	1.6	1.8	1.9	2.3	2.2	2.3	2.8	2.8	3.1	3.1	3.1
Fresh	0.7	0.8	0.8	0.8	0.9	1.0	1.1	0.8	1.1	1.1	1.4	1.3	1.4	1.8	1.8	2.2	2.1	2.2
Freezing	0.6	0.5	0.6	0.7	0.6	0.6	0.7	0.8	0.7	0.8	0.9	0.9	0.9	1.0	0.9	0.9	1.0	0.9
Celery	7.3	7.1	7.6	7.4	6.9	7.4	7.1	7.1	7.1	7.4	7.3	7.4	7.0	7.1	6.9	6.5	6.6	7.2
Sweet corn, all 3/	27.7	28.1	28.3	27.0	26.0	26.8	28.9	26.3	26.0	25.9	24.7	23.4	24.4	24.7	26.2	25.7	24.7	24.9
Fresh	7.5	7.8	7.9	7.7	7.8	8.0	7.6	6.6	6.5	6.5	6.2	6.0	6.1	6.4	6.4	6.1	6.3	5.8
Canning	14.8	15.0	14.5	13.5	12.0	13.1	14.1	13.4	12.7	13.0	12.1	11.6	11.6	10.2	11.9	12.1	10.6	10.4
Freezing	5.5	5.3	5.9	5.8	6.2	5.7	7.2	6.3	6.9	6.4	6.3	5.8	6.7	8.0	7.9	7.6	7.8	8.7
Cucumbers, all	8.3	8.4	8.4	8.7	8.9	9.2	9.3	9.9	9.7	9.3	9.3	9.3	9.7	9.9	10.2	10.0	10.6	10.1
Fresh	2.8	3.0	2.8	3.0	2.8	3.1	3.5	3.8	3.8	3.9	4.0	4.2	4.5	4.7	4.4	4.6	5.1	4.8
Pickling	5.5	5.4	5.7	5.7	6.1	6.1	5.8	6.1	5.9	5.4	5.3	5.1	5.2	5.2	5.8	5.3	5.5	5.3
Melons	20.6	20.1	19.7	17.5	17.6	18.8	19.4	20.2	19.2	18.0	19.4	22.3	19.9	24.1	24.3	24.9	24.7	24.1
Watermelon	13.0	12.3	12.7	11.3	11.4	12.6	12.6	11.9	11.4	10.7	11.7	12.5	11.3	14.4	13.5	12.8	13.0	13.6
Cantaloup	6.6	6.8	5.9	5.1	5.1	5.1	5.5	6.6	6.1	5.9	6.1	7.7	6.5	7.7	8.5	9.4	9.2	7.9
Honeydew	0.9	1.0	1.1	1.0	1.1	1.0	1.1	1.6	1.6	1.4	1.5	1.8	1.8	1.8	2.1	2.4	2.2	2.4
Other	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.2	0.2	0.3	0.3	0.3
Lettuce, all	22.4	22.4	23.1	23.5	23.5	24.2	25.8	25.1	25.1	25.6	24.9	24.9	22.4	24.9	26.9	24.3	28.2	30.2
Head lettuce	22.4	22.4	23.1	23.5	23.5	24.2	25.8	25.1	25.1	25.6	24.9	24.9	22.4	24.9	23.7	21.9	25.7	27.0
Romaine & leaf	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.3	2.4	2.5	3.2
Onions, all	12.2	11.6	11.4	12.7	12.5	11.8	12.4	12.2	13.4	12.2	11.6	14.2	13.8	14.6	15.2	15.6	14.9	16.2
Fresh	10.7	10.7	10.2	11.2	10.5	11.0	11.1	10.9	11.4	11.4	10.7	12.2	12.2	13.1	13.6	13.7	13.4	14.6
Dehydrating	1.5	0.9	1.2	1.5	2.0	0.8	1.3	1.3	1.9	0.8	0.8	2.0	1.7	1.5	1.6	1.9	1.5	1.7
Green peas, all 4/	5.2	5.1	5.3	4.8	4.7	4.7	4.8	4.7	4.5	4.5	4.4	4.1	4.2	4.0	4.1	4.1	3.7	3.7
Canning	3.2	3.1	3.4	2.9	2.8	2.9	3.1	2.9	2.6	2.7	2.7	2.5	2.4	2.0	2.1	2.2	2.0	1.8
Freezing	2.1	2.0	1.9	1.9	1.9	1.9	1.8	1.8	1.9	1.8	1.7	1.7	1.8	2.0	2.1	1.9	1.7	1.9
Peppers, all	2.3	2.4	2.5	2.7	2.5	2.7	2.8	2.8	2.9	5.9	6.1	6.0	6.6	7.2	7.7	8.1	8.4	8.8
Bell peppers, all	2.3	2.4	2.5	2.7	2.5	2.7	2.8	2.8	2.9	2.9	2.8	3.0	3.3	3.6	3.8	4.0	4.2	4.5
Chile peppers, all	--	--	--	--	--	--	--	--	--	3.1	3.3	3.1	3.3	3.6	3.9	4.2	4.2	4.3
Tomatoes, all	79.7	77.0	70.9	73.2	73.9	78.2	75.1	71.8	76.7	76.4	71.6	73.0	74.4	82.7	78.1	79.4	81.1	78.1
Fresh	11.3	12.1	12.5	11.8	12.0	12.6	12.4	12.9	12.4	12.8	12.3	12.9	13.5	14.2	14.9	15.8	15.9	16.8
Canning	68.3	64.9	58.4	61.3	61.9	65.7	62.8	58.8	64.3	63.6	59.3	60.1	60.9	68.5	63.2	63.6	65.2	61.3
Other, fresh 5/	4.3	4.4	4.7	4.8	5.1	5.0	5.3	5.3	6.0	6.3	6.4	6.6	7.0	7.0	7.5	7.0	7.4	7.6
Other, canning 6/	3.0	3.0	2.9	2.5	2.7	2.9	2.8	2.8	2.4	2.5	2.3	2.0	1.7	1.9	1.6	1.6	1.4	1.5
Other, freezing 7/	3.2	3.1	3.2	2.9	2.8	3.0	2.7	2.8	2.7	2.6	2.6	2.6	2.4	2.4	2.5	2.7	2.5	2.9
Subtotal, all 8/	228.6	225.5	222.3	221.5	219.9	228.1	228.4	222.3	227.9	229.0	224.2	229.1	227.0	246.0	246.3	245.1	252.4	253.2
Fresh	107.3	108.4	109.9	108.6	107.8	111.5	112.4	111.8	112.3	113.0	112.9	119.6	115.8	126.4	130.1	129.1	136.2	139.5
Canning	104.5	101.2	94.8	95.6	94.6	100.2	97.9	92.8	96.7	99.0	93.7	91.7	92.8	99.1	95.5	95.9	95.6	91.1
Freezing	15.2	14.9	16.4	15.7	15.5	15.7	16.8	16.4	16.9	16.2	16.8	15.7	16.7	19.0	19.1	18.3	19.1	21.0
Potatoes, all	117.8	119.4	118.2	117.2	121.9	125.3	122.1	119.5	117.9	114.7	116.5	115.0	118.7	122.1	122.4	125.9	126.0	122.3
Fresh	56.1	57.9	52.4	49.4	52.6	49.5	50.1	46.0	49.4	51.1	45.8	47.1	49.8	48.3	46.3	48.8	47.9	49.6
Processing	61.7	61.5	65.8	67.8	69.3	75.8	72.0	73.5	68.5	63.6	70.7	67.9	68.9	73.8	76.1	77.1	78.1	72.7
Sweet potatoes, all	4.9	4.9	5.0	4.9	5.4	5.4	4.7	4.9	5.1	4.4	4.7	5.5	4.6	4.9	5.4	4.3	4.3	3.9
Mushrooms, all	1.4	1.6	1.7	1.8	1.9	2.1	2.5	2.7	2.8	2.7	2.9	2.9	3.4	3.6	3.6	3.8	3.6	3.5
Dry peas & lentils	0.7	0.8	0.6	0.7	0.4	0.6	0.4	0.8	0.4	0.4	0.6	0.4	0.4	0.4	0.5	0.8	0.5	0.7
Dry edible beans	6.8	6.0	7.4	5.5	6.8	6.4	6.7	5.1	6.2	4.9	5.5	7.5	6.3	5.5	7.0	6.5	5.5	6.9
Total, all items	360.2	358.2	355.2	351.6	356.3	367.8	364.8	355.2	360.3	356.1	354.4	360.4	360.4	382.4	385.3	386.5	392.3	390.6

See footnotes at end of table.

Continued--

Percap table 1--U.S. per capita use of selected, commercially produced, fresh, and processing vegetables and melons, 1971-2012--continued

Crop	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
<i>Pounds per person per year, farm weight</i>											
Asparagus, all	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	1.0	1.1
Fresh	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.9
Canning	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2
Freezing	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
Snap beans, all	7.1	6.7	7.0	7.2	7.2	7.3	6.8	7.2	6.7	7.3	7.5
Fresh	1.2	1.1	1.1	1.5	1.5	1.5	1.6	1.5	1.4	1.6	1.9
Canning	3.9	3.7	4.1	4.0	4.0	3.8	3.5	3.9	3.6	3.8	3.7
Freezing	2.0	1.9	1.8	1.7	1.7	1.9	1.7	1.9	1.8	2.0	2.0
Broccoli, all 1/	6.0	5.6	5.3	5.8	5.6	6.7	6.9	7.0	7.3	7.1	8.3
Fresh	3.8	3.4	3.0	3.4	3.3	4.4	4.3	4.5	5.0	5.0	6.2
Freezing	2.2	2.2	2.3	2.4	2.3	2.3	2.6	2.5	2.3	2.1	2.1
Cabbage, all	9.9	9.5	9.6	9.8	10.7	10.3	9.5	9.3	10.5	9.8	8.8
Fresh	8.6	8.3	8.2	8.7	9.3	9.1	8.1	8.3	9.0	8.4	7.6
Canning (kraut)	1.3	1.2	1.4	1.2	1.4	1.2	1.4	1.0	1.4	1.4	1.2
Carrots, all 2/	11.5	11.8	11.3	12.3	14.7	16.9	15.4	16.9	18.2	13.7	13.1
Fresh	8.1	8.3	7.7	8.3	10.9	12.7	11.2	12.4	14.1	9.5	9.3
Canning	0.9	1.2	1.2	1.7	1.1	1.4	1.6	1.7	1.5	1.5	1.4
Freezing	2.5	2.3	2.4	2.3	2.8	2.8	2.6	2.8	2.6	2.8	2.4
Cauliflower, all 1/	3.1	3.0	2.5	2.5	2.8	2.6	2.3	2.2	2.2	2.2	2.3
Fresh	2.3	2.2	2.0	1.8	2.1	2.0	1.6	1.7	1.8	1.5	1.8
Freezing	0.8	0.8	0.6	0.7	0.7	0.6	0.6	0.5	0.4	0.8	0.5
Celery	7.5	7.2	6.7	7.3	7.3	7.2	6.9	7.0	6.6	6.5	6.5
Sweet corn, all 3/	24.4	26.3	26.3	27.7	27.8	27.3	28.6	29.0	27.5	28.3	28.2
Fresh	6.5	6.7	5.9	6.9	7.0	8.2	7.8	8.3	8.3	9.3	9.1
Canning	9.5	11.0	11.1	11.9	11.1	10.1	10.4	10.4	9.2	9.2	9.1
Freezing	8.4	8.6	9.4	8.9	9.7	9.1	10.3	10.4	10.1	9.8	10.1
Cucumbers, all	10.0	9.7	9.6	9.5	9.5	10.1	10.7	10.0	11.7	10.5	10.9
Fresh	4.8	4.7	4.6	4.9	5.2	5.4	5.6	5.9	6.4	6.5	6.7
Pickling	5.2	5.0	5.1	4.6	4.3	4.8	5.1	4.1	5.2	4.0	4.2
Melons	26.9	24.8	23.6	25.5	24.9	25.6	26.4	29.3	28.8	28.0	29.7
Watermelon	13.6	13.3	12.7	14.7	14.2	15.0	15.2	16.6	15.5	14.3	15.2
Cantaloup	10.4	9.2	8.6	8.5	8.6	8.4	9.0	10.3	10.5	10.6	11.4
Honeydew	2.5	2.1	1.9	2.1	1.7	2.0	1.9	2.0	2.2	2.3	2.5
Other	0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.6	0.7	0.6
Lettuce, all	32.3	31.5	30.0	30.5	29.4	30.7	28.1	27.4	30.5	28.9	32.5
Head lettuce	28.7	27.8	26.0	25.8	24.4	25.0	22.2	21.6	23.9	22.3	24.9
Romaine & leaf	3.6	3.8	4.0	4.7	5.0	5.7	5.9	5.8	6.6	6.6	7.6
Onions, all	16.4	17.1	17.3	17.5	19.2	17.9	19.1	19.2	19.7	19.5	20.8
Fresh	14.8	15.1	15.7	16.1	17.2	16.9	17.8	18.3	18.8	18.4	18.5
Dehydrating	1.6	2.0	1.6	1.4	2.0	1.0	1.3	0.8	0.9	1.1	2.3
Green peas, all 4/	3.7	4.2	4.2	4.1	3.5	3.6	3.6	3.4	3.5	3.3	3.5
Canning	1.7	2.0	1.9	2.1	1.6	1.4	1.6	1.5	1.5	1.5	1.4
Freezing	2.0	2.2	2.3	2.0	1.9	2.1	2.1	1.9	2.0	1.9	2.0
Peppers, all	9.2	10.7	10.8	12.7	12.5	11.2	10.8	12.8	11.9	12.5	12.4
Bell peppers, all	4.7	5.9	6.3	7.1	7.6	7.1	7.0	8.1	7.3	7.8	7.7
Chile peppers, all	4.5	4.8	4.5	5.6	4.9	4.1	3.8	4.7	4.6	4.8	4.7
Tomatoes, all	86.2	90.8	92.5	88.8	92.1	92.5	91.4	90.9	89.9	92.5	90.3
Fresh	16.8	15.5	15.4	15.5	16.3	16.2	16.8	17.4	17.3	18.5	19.1
Canning	69.4	75.3	77.1	73.3	75.8	76.3	74.6	73.5	72.6	74.0	71.2
Other, fresh 5/	8.3	8.4	8.6	8.9	9.1	9.7	9.2	9.7	12.4	13.3	13.9
Other, canning 6/	1.4	2.4	2.4	2.0	2.1	2.6	2.3	2.3	2.3	2.2	2.5
Other, freezing 7/	2.8	2.1	2.6	2.5	2.8	2.9	2.8	3.1	3.0	2.9	3.2
Subtotal, all 8/	267.4	272.6	271.3	275.5	282.0	286.0	281.6	287.5	293.4	289.8	295.4
Fresh	147.1	143.6	139.4	146.9	151.7	157.3	153.0	160.3	168.3	164.0	171.2
Canning	98.2	106.8	108.9	106.6	106.4	106.0	104.5	103.2	102.1	102.4	99.6
Freezing	20.6	20.2	21.4	20.6	22.0	21.8	22.7	23.1	22.2	22.2	22.3
Potatoes, all	127.0	123.9	134.1	129.9	136.7	136.7	136.9	145.0	137.8	137.7	136.2
Fresh	50.0	46.7	50.2	48.3	50.1	49.6	49.2	49.9	47.3	46.9	47.7
Processing	77.0	77.2	83.9	81.6	86.6	87.1	87.7	95.1	90.5	90.8	88.5
Sweet potatoes	3.9	4.4	3.9	4.1	3.7	4.5	4.2	4.3	4.3	3.8	3.7
Mushrooms	3.6	3.7	3.7	3.7	3.7	4.0	3.8	3.9	4.0	3.9	4.1
Dry peas & lentils 9/	0.4	0.4	0.5	0.4	0.2	0.6	0.7	0.5	0.9	0.8	0.6
Dry edible beans	5.5	6.7	7.4	7.8	7.3	7.8	7.5	7.4	7.4	7.2	7.8
Total, all items	407.8	411.8	420.9	421.4	433.6	439.6	434.7	448.6	447.7	443.2	447.8

* Totals may not sum due to rounding. r = revised. f = Forecast. P = preliminary. -- = Not available.

1/ All production for processing broccoli and cauliflower is for freezing. 2/ Industry allocation suggests that 27 percent of processing carrot production is for canning and 73 percent is for freezing. 3/ On-cob basis. 4/ In-shell basis. 5/ Includes artichokes, brussels sprouts, eggplant, endive/escarole, garlic, radishes, green limas, squash, and spinach. In 2000, pumpkins, kale, collards, turnip greens, mustard greens, and okra (1990-2008) added. 6/ Includes beets, green limas (1992-2003), spinach, and miscellaneous imports (1990-2001). 7/ Includes green limas, spinach, and miscellaneous freezing vegetables. 8/ Fresh, canning, and freezing data do not sum to the total because onions for dehydrating are included in the total. 9/ Production from new areas in upper midwest added in 1998. A portion of this is likely for feed use.

Source: Economic Research Service, USDA.

Percap table 1--U.S. annual per capita use of commercially produced, fresh, & processing vegetables & melons, 1971-2012--continued *

Crop	2000	2001	2002	2003	2004	2005r	2006r	2007r	2008r	2009r	2010	2011f	2012f
<i>Pounds per person per year, farm weight</i>													
Asparagus, all	1.3	1.2	1.2	1.3	1.4	1.4	1.4	1.4	1.5	1.5	1.6	1.6	1.6
Fresh	1.0	0.9	1.0	1.0	1.1	1.1	1.1	1.2	1.2	1.3	1.4	1.4	1.4
Canning	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1
Freezing	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Snap beans, all	7.9	7.8	7.2	7.5	7.6	7.6	7.9	7.8	7.4	7.2	7.5	7.2	6.7
Fresh	2.0	2.2	2.1	2.0	1.9	1.8	2.1	2.2	2.0	1.8	1.9	1.9	1.9
Canning	4.0	3.8	3.4	3.7	3.7	4.0	3.9	3.5	3.3	3.6	3.7	3.4	3.1
Freezing	1.8	1.9	1.8	1.9	1.9	1.8	1.9	2.1	2.1	1.9	2.0	1.9	1.8
Broccoli, all 1/	8.1	7.4	7.5	7.9	8.0	8.1	8.0	8.3	8.7	8.7	8.0	8.5	8.3
Fresh	5.9	5.4	5.4	5.4	5.3	5.3	5.8	5.6	6.0	6.2	5.6	5.9	5.8
Freezing	2.3	2.0	2.1	2.6	2.7	2.7	2.3	2.7	2.7	2.5	2.5	2.5	2.5
Cabbage, all	10.3	10.1	9.5	8.5	9.1	9.0	9.0	9.0	9.0	8.1	8.3	8.4	8.1
Fresh	8.9	8.8	8.3	7.4	8.0	7.8	7.8	8.0	8.1	7.3	7.5	7.5	7.3
Canning (kraut)	1.4	1.3	1.2	1.1	1.1	1.2	1.2	1.0	0.9	0.9	0.8	0.8	0.8
Carrots, all 2/	13.0	12.7	11.5	11.9	11.8	11.8	11.2	10.5	10.6	9.7	9.8	10.0	10.0
Fresh	9.2	9.4	8.4	8.8	8.7	8.7	8.1	8.1	8.1	7.4	7.6	7.6	7.5
Canning	1.1	1.1	1.0	1.1	1.1	1.1	1.0	0.9	1.0	0.9	0.7	0.9	0.9
Freezing	2.7	2.2	2.1	2.0	2.0	2.0	2.1	1.5	1.5	1.5	1.5	1.5	1.7
Cauliflower, all 1/	2.3	2.0	1.7	1.9	1.9	2.1	2.1	2.0	2.0	2.1	1.7	1.8	1.8
Fresh	1.7	1.5	1.4	1.6	1.6	1.8	1.7	1.7	1.6	1.7	1.3	1.4	1.4
Freezing	0.6	0.5	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Celery	6.3	6.4	6.3	6.3	6.2	5.9	6.1	6.3	6.2	6.2	6.2	6.2	6.2
Sweet corn, all 3/	27.1	27.2	26.1	26.5	26.2	26.7	26.1	26.1	25.1	25.8	24.6	24.3	24.2
Fresh	9.0	9.2	9.0	9.2	9.0	8.7	8.3	9.2	9.1	9.2	9.2	9.2	9.1
Canning	9.0	8.7	7.8	8.3	8.2	8.6	8.4	6.9	6.7	7.6	6.8	6.5	6.2
Freezing	9.0	9.3	9.3	9.0	9.1	9.5	9.4	10.0	9.3	9.1	8.5	8.6	9.0
Cucumbers, all	11.2	10.0	12.0	10.6	11.3	10.0	9.1	10.2	9.9	11.9	10.5	10.0	10.5
Fresh	6.4	6.3	6.6	6.2	6.4	6.2	6.2	6.4	6.4	6.8	6.8	6.6	6.6
Pickling	4.9	3.7	5.4	4.5	4.9	3.8	3.0	3.7	3.5	5.1	3.7	3.3	3.9
Melons	27.8	28.7	27.9	27.1	25.4	25.6	26.9	26.4	26.7	26.2	26.1	25.9	25.6
Watermelon	13.8	15.0	14.0	13.5	13.0	13.6	15.1	14.4	15.6	14.9	15.5	15.1	15.0
Cantaloupe	11.1	11.2	11.1	10.8	9.8	9.6	9.3	9.6	8.9	9.1	8.5	8.5	8.4
Honeydew	2.3	2.0	2.2	2.2	2.1	1.9	1.9	1.8	1.7	1.6	1.5	1.5	1.5
Other	0.6	0.5	0.6	0.6	0.5	0.6	0.6	0.6	0.5	0.5	0.6	0.8	0.7
Lettuce, all	31.9	31.0	32.1	33.1	33.2	30.6	32.0	29.9	27.3	26.1	26.9	26.7	26.8
Head lettuce	23.5	23.0	22.5	22.2	21.3	20.9	20.1	18.4	16.9	16.1	16.1	16.2	16.0
Romaine & leaf	8.4	8.0	9.6	10.8	12.0	9.7	12.0	11.5	10.4	10.0	10.7	10.6	10.8
Onions, all	20.4	19.5	20.4	21.4	23.4	22.0	21.7	22.6	21.7	21.5	21.4	21.2	21.1
Fresh	18.9	18.5	19.3	19.5	21.9	20.9	19.9	21.6	20.2	19.6	19.9	19.7	19.5
Dehydrating	1.6	1.0	1.1	1.8	1.5	1.1	1.8	1.0	1.5	1.9	1.5	1.5	1.5
Green peas, all 4/	3.7	3.3	2.8	3.1	2.8	2.7	2.8	3.0	2.9	3.0	2.7	2.7	2.6
Canning	1.5	1.4	1.1	1.3	1.2	1.1	1.2	1.2	1.1	1.3	1.2	1.1	1.1
Freezing	2.1	2.0	1.7	1.8	1.6	1.6	1.6	1.8	1.8	1.7	1.6	1.6	1.5
Peppers, all	13.3	13.3	14.1	14.0	14.8	15.3	15.8	15.2	15.8	16.4	16.4	16.4	16.4
Bell peppers, all	8.2	8.1	8.3	8.4	8.6	9.2	9.5	9.4	9.6	9.8	9.9	9.8	9.7
Chile peppers, all	5.2	5.2	5.8	5.6	6.1	6.1	6.4	5.9	6.2	6.6	6.5	6.6	6.7
Tomatoes, all	89.1	84.7	89.7	89.3	90.5	93.9	84.3	87.9	85.6	89.9	91.8	93.5	91.3
Fresh	19.0	19.2	20.3	19.4	20.0	20.2	19.8	19.2	18.5	19.6	20.8	20.6	20.8
Canning	70.1	65.5	69.4	69.9	70.5	73.7	64.5	68.7	67.1	70.3	71.0	72.9	70.6
Other, fresh 5/	18.6	17.7	18.3	18.6	19.4	20.1	20.1	19.4	19.1	18.6	18.6	18.1	18.3
Other, canning 6/	2.6	2.8	2.3	2.3	2.7	2.9	2.6	2.6	2.5	2.3	2.6	2.4	2.4
Other, freezing 7/	3.2	3.2	4.3	3.9	3.8	4.1	4.1	4.1	4.0	4.3	4.4	4.1	4.1
Subtotal, all 8/	298.0	289.2	294.9	295.2	299.5	299.5	291.1	292.7	286.0	289.5	289.2	288.8	286.0
Fresh	174.6	173.3	174.6	173.7	176.8	173.7	175.2	174.5	170.0	167.6	169.6	168.6	167.9
Canning	100.0	93.6	97.5	98.0	99.7	102.7	92.3	94.5	92.6	98.7	97.1	98.0	95.6
Freezing	21.8	21.2	21.7	21.6	21.5	22.1	21.8	22.6	21.9	21.4	20.9	20.7	21.0
Potatoes, all	137.7	138.5	131.9	137.9	134.6	125.4	123.7	124.4	118.3	113.5	113.9	112.2	112.4
Fresh	47.2	46.6	44.3	46.8	45.8	41.3	38.6	38.7	37.8	36.7	36.8	35.0	35.2
Processing	90.5	91.9	87.6	91.2	88.8	84.1	85.1	85.7	80.5	76.8	77.1	77.2	77.2
Sweet potatoes	4.2	4.4	3.8	4.7	4.6	4.5	4.6	5.1	5.0	5.2	6.3	6.9	6.9
Mushrooms	4.1	3.9	4.1	4.1	4.2	3.9	4.0	3.9	3.6	3.6	3.8	3.9	3.9
Dry peas & lentils 9/	0.8	0.8	0.8	0.6	0.7	0.8	1.2	0.7	0.4	1.0	1.2	0.9	0.8
Dry edible beans	7.7	6.9	6.7	6.7	5.9	6.1	6.5	6.4	6.4	6.0	7.1	6.2	6.4
Total, all items	452.4	443.6	442.2	449.3	449.5	440.2	431.0	433.1	419.7	418.8	421.4	418.9	416.3

* Totals may not sum due to rounding from 2 decimals. r = revised. f = Forecast. P = preliminary. -- = Not available.

1/ All production for processing broccoli and cauliflower is for freezing. 2/ Industry allocation suggests that 27 percent of processing carrot production is for canning and 73 percent is for freezing. 3/ On-cob basis. 4/ In-shell basis. 5/ Includes artichokes, brussels sprouts, eggplant, endive/escarole, garlic, radishes, green limas, squash, and spinach. In 2000, pumpkins, kale, collards, turnip greens, mustard greens, and okra (1990-2008) added. 6/ Includes beets, green limas (1992-2003), spinach, and miscellaneous imports (1990-2001). 7/ Includes green limas, spinach, and miscellaneous freezing vegetables. 8/ Fresh, canning, and freezing data do not sum to the total because onions for dehydrating are included in the total. 9/ Production from new areas in upper midwest added in 1998. A portion of this is likely for feed use.

Source: Economic Research Service, USDA.

Percap table 2--Vegetables, fresh market: U.S. per capita utilization, 1980-2012 1/

Year	Aspara- gus	Arti- chokes 2/	Snap beans	Broccoli	Cabbage	Carrots	Cauli- flower	Celery 2/	Sweet corn	Cucum- bers	Eggplant 2/	Escarole/ endive	Lettuce	
													Head	Leaf/romaine
-- Pounds, farm weight --														
1980	0.3	0.6	1.3	1.4	8.0	6.2	1.1	7.4	6.5	3.9	0.5	0.5	25.6	--
1981	0.3	0.8	1.3	1.7	8.2	6.1	1.4	7.3	6.2	4.0	0.5	0.4	24.9	--
1982	0.4	0.8	1.3	2.0	8.6	6.6	1.3	7.4	6.0	4.2	0.5	0.4	24.9	--
1983	0.4	0.7	1.2	2.0	8.2	6.5	1.4	7.0	6.1	4.5	0.5	0.4	22.4	--
1984	0.4	1.0	1.3	2.5	8.6	6.7	1.8	7.1	6.4	4.7	0.5	0.4	24.9	--
1985	0.5	1.0	1.3	2.6	8.7	6.5	1.8	6.9	6.4	4.4	0.5	0.4	23.7	3.3
1986	0.6	0.9	1.3	3.1	8.6	6.5	2.2	6.5	6.1	4.6	0.5	0.4	21.9	2.4
1987	0.6	1.0	1.2	3.1	9.1	8.3	2.1	6.6	6.3	5.1	0.5	0.3	25.7	2.5
1988	0.6	0.9	1.2	3.8	9.0	7.1	2.2	7.2	5.8	4.8	0.4	0.4	27.0	3.2
1989	0.6	1.0	1.2	3.8	8.6	8.1	2.3	7.5	6.5	4.8	0.4	0.3	28.7	3.6
1990	0.6	0.9	1.1	3.4	8.3	8.3	2.2	7.2	6.7	4.7	0.4	0.3	27.8	3.8
1991	0.6	0.8	1.1	3.0	8.2	7.7	2.0	6.7	5.9	4.6	0.4	0.2	26.0	4.0
1992	0.6	0.9	1.5	3.4	8.7	8.3	1.8	7.3	6.9	4.9	0.5	0.3	25.8	4.7
1993	0.6	0.9	1.5	3.3	9.3	10.9	2.1	7.3	7.0	5.2	0.5	0.3	24.4	5.0
1994	0.6	1.3	1.5	4.4	9.1	12.7	2.0	7.2	8.2	5.4	0.5	0.3	25.0	5.7
1995	0.6	0.9	1.6	4.3	8.1	11.2	1.6	6.9	7.8	5.6	0.5	0.3	22.2	5.9
1996	0.6	1.0	1.5	4.5	8.3	12.4	1.7	7.0	8.3	5.9	0.6	0.3	21.6	5.8
1997	0.7	1.0	1.4	5.0	9.0	14.1	1.8	6.6	8.3	6.4	0.7	0.3	23.9	6.6
1998	0.7	1.2	1.6	5.0	8.4	9.5	1.5	6.5	9.3	6.5	0.7	0.3	22.3	6.6
1999	0.9	1.3	1.9	6.2	7.6	9.3	1.8	6.5	9.1	6.7	0.7	0.2	24.9	7.6
2000	1.0	1.2	2.0	5.9	8.9	9.2	1.7	6.3	9.0	6.4	0.8	0.4	23.5	8.4
2001	0.9	1.2	2.2	5.4	8.8	9.4	1.5	6.4	9.2	6.3	0.8	0.4	23.0	8.0
2002	1.0	1.3	2.1	5.4	8.3	8.4	1.4	6.3	9.0	6.6	0.7	0.3	22.5	9.6
2003	1.0	1.4	2.0	5.4	7.4	8.8	1.6	6.3	9.2	6.2	0.7	0.3	22.2	10.8
2004	1.1	1.4	1.9	5.3	8.0	8.7	1.6	6.2	9.0	6.4	0.7	0.3	21.3	12.0
2005	1.1	1.4	1.8	5.3	7.8	8.7	1.8	5.9	8.7	6.2	0.9	0.3	20.9	9.7
2006	1.1	1.7	2.1	5.8	7.8	8.1	1.7	6.1	8.3	6.1	0.9	0.3	20.1	12.0
2007	1.2	1.6	2.2	5.6	8.0	8.1	1.7	6.3	9.2	6.4	0.9	0.3	18.4	11.5
2008	1.2	1.5	2.0	6.0	8.1	8.1	1.6	6.2	9.1	6.4	0.8	0.3	16.9	10.4
2009	1.3	1.5	1.8	6.2	7.3	7.4	1.7	6.2	9.2	6.8	0.8	0.2	16.1	10.0
2010	1.4	1.5	1.9	5.6	7.5	7.6	1.3	6.2	9.2	6.8	0.9	0.3	16.1	10.7
2011 f	1.4	1.5	1.9	5.9	7.5	7.6	1.4	6.2	9.2	6.6	0.9	0.2	16.2	10.6
2012 f	1.4	1.5	1.9	5.8	7.3	7.5	1.4	6.2	9.1	6.6	0.9	0.2	16.0	10.8

Year	Garlic 2/	Onions	Bell peppers 2/	Pump- kins	Radishes	Spinach	Squash	Southern greens 5/	Tomatoes 3/	Water- melon	Canta- loup	Honey- dews	All others 4/	Total
1980	0.9	11.4	2.9	--	0.6	0.4	2.3	--	12.8	10.7	5.9	1.4	0.7	113.0
1981	0.7	10.7	2.8	--	0.6	0.5	2.3	--	12.3	11.7	6.1	1.5	0.8	112.9
1982	0.8	12.2	3.0	--	0.5	0.6	2.5	--	12.9	12.5	7.7	1.8	0.9	119.6
1983	1.0	12.2	3.3	--	0.6	0.5	2.6	--	13.5	11.3	6.5	1.8	1.0	115.8
1984	0.8	13.1	3.6	--	0.5	0.5	2.6	--	14.2	14.4	7.7	1.8	1.0	126.4
1985	1.1	13.6	3.8	--	0.5	0.7	2.7	--	14.9	13.5	8.5	2.1	0.9	130.1
1986	0.8	13.7	4.0	--	0.5	0.6	2.8	--	15.8	12.8	9.4	2.4	0.9	129.1
1987	1.2	13.4	4.2	--	0.5	0.6	2.9	--	15.9	13.0	9.2	2.2	0.8	136.2
1988	1.1	14.6	4.5	--	0.6	0.6	3.1	--	16.8	13.6	7.9	2.4	1.0	139.5
1989	1.0	14.8	4.7	--	0.7	0.6	3.5	--	16.8	13.6	10.4	2.5	1.2	147.1
1990	1.4	15.1	5.9	--	0.7	0.8	3.5	--	15.5	13.3	9.2	2.1	0.8	143.6
1991	1.5	15.7	6.3	--	0.6	0.8	3.7	--	15.4	12.7	8.6	1.9	0.9	139.4
1992	1.5	16.1	7.1	--	0.5	0.8	3.8	--	15.5	14.7	8.5	2.1	0.9	146.9
1993	1.8	17.2	7.6	--	0.5	0.7	3.8	--	16.3	14.2	8.6	1.7	1.1	151.7
1994	1.8	16.9	7.1	--	0.4	0.8	4.0	--	16.2	15.0	8.4	2.0	0.9	157.3
1995	1.9	17.8	7.0	--	0.4	0.7	3.8	--	16.8	15.2	9.0	1.9	1.1	153.0
1996	2.3	18.3	8.1	--	0.4	0.6	3.7	--	17.4	16.6	10.3	2.0	1.1	160.3
1997	2.0	18.8	7.3	--	0.5	1.1	3.9	2.4	17.3	15.5	10.5	2.2	1.1	168.3
1998	2.6	18.4	7.8	--	0.4	1.0	4.2	2.4	18.5	14.3	10.6	2.3	1.3	164.0
1999	3.3	18.5	7.7	--	0.4	1.0	4.1	2.4	19.1	15.2	11.4	2.5	1.2	171.2
2000	2.2	18.9	8.2	4.7	0.5	1.4	4.5	2.4	19.0	13.8	11.1	2.3	1.2	174.6
2001	2.4	18.5	8.1	4.2	0.5	1.1	4.2	2.3	19.2	15.0	11.2	2.0	1.1	173.3
2002	2.5	19.3	8.3	4.1	0.5	1.4	4.6	2.3	20.3	14.0	11.1	2.2	1.1	174.6
2003	2.8	19.5	8.4	3.9	0.4	1.6	4.3	2.5	19.4	13.5	10.8	2.2	1.2	173.7
2004	2.6	21.9	8.6	4.6	0.5	1.9	4.3	2.5	20.0	13.0	9.8	2.1	1.3	176.8
2005	2.4	20.9	9.2	4.9	0.5	2.3	4.4	2.2	20.2	13.6	9.6	1.9	1.3	173.7
2006	2.7	19.9	9.5	4.8	0.5	2.0	4.6	1.9	19.8	15.1	9.3	1.9	1.3	175.2
2007	2.7	21.6	9.4	5.0	0.5	1.6	4.2	1.9	19.2	14.4	9.6	1.8	1.4	174.5
2008	2.8	20.2	9.6	4.7	0.5	1.8	4.2	1.7	18.5	15.6	8.9	1.7	1.3	170.0
2009	2.5	19.6	9.8	4.1	0.5	2.1	4.4	1.7	19.6	14.9	9.1	1.6	1.3	167.6
2010	2.3	19.9	9.9	4.5	0.6	1.8	4.3	1.7	20.8	15.5	8.5	1.5	1.3	169.6
2011 f	2.4	19.7	9.8	4.1	0.6	1.9	4.3	1.7	20.6	15.1	8.5	1.5	1.5	168.6
2012 f	2.4	19.5	9.7	4.4	0.5	1.9	4.2	1.6	20.8	15.0	8.4	1.5	9.0	167.9

-- = Not available. f = ERS forecast. Totals may not sum due to rounding.

1/ Excludes potatoes, sweet potatoes, and mushrooms. 2/ Includes fresh and processing. 3/ After 1996, includes an ERS estimate of domestically-produced hothouse tomatoes. Hothouse tomato imports are included in all years. 4/ Includes Brussels sprouts, miscellaneous melons, and okra. Green lima beans included since 1992. 5/ Includes kale, collards, turnip greens, and mustard greens.

Source: Calculated by USDA, Economic Research Service.

Percap table 3--Vegetables, selected: Fresh and processing per capita utilization, 1980-2012

Year	Asparagus			Broccoli		Carrots			Cauliflower		Total		
	Fresh	Canning	Freezing	Fresh	Freezing	Fresh	Canning	Freezing	Fresh	Freezing	Fresh	Canning	Freezing
----- Pounds, farm weight -----													
1980	0.3	0.4	0.1	1.4	1.5	6.2	1.8	1.7	1.1	0.8	9.0	2.2	4.1
1981	0.3	0.4	0.1	1.7	1.6	6.1	1.6	1.9	1.4	0.9	9.5	1.9	4.5
1982	0.4	0.3	0.1	2.0	1.5	6.6	1.2	1.8	1.3	0.9	10.3	1.5	4.2
1983	0.4	0.3	0.1	2.0	1.6	6.5	1.3	1.8	1.4	0.9	10.4	1.6	4.3
1984	0.4	0.3	0.1	2.5	1.7	6.7	1.9	2.1	1.8	1.0	11.4	2.2	4.9
1985	0.5	0.3	0.1	2.6	2.0	6.5	1.4	1.8	1.8	0.9	11.4	1.7	4.8
1986	0.6	0.3	0.1	3.1	1.8	6.5	1.2	1.8	2.2	0.9	12.3	1.5	4.6
1987	0.6	0.3	0.1	3.1	2.2	8.3	1.0	2.1	2.1	1.0	14.1	1.3	5.4
1988	0.6	0.3	0.1	3.8	2.4	7.1	1.1	2.3	2.2	0.9	13.7	1.4	5.8
1989	0.6	0.3	0.1	3.8	2.2	8.1	0.9	2.5	2.3	0.8	14.8	1.2	5.5
1990	0.6	0.3	0.1	3.4	2.2	8.3	1.2	2.3	2.2	0.8	14.4	1.5	5.4
1991	0.6	0.3	0.1	3.0	2.3	7.7	1.2	2.4	2.0	0.6	13.3	1.4	5.3
1992	0.6	0.3	0.1	3.4	2.4	8.3	1.7	2.3	1.8	0.7	14.1	2.0	5.5
1993	0.6	0.3	0.1	3.3	2.3	10.9	1.1	2.8	2.1	0.7	16.8	1.3	5.8
1994	0.6	0.3	0.1	4.4	2.3	12.7	1.4	2.8	2.0	0.6	19.7	1.7	5.8
1995	0.6	0.3	0.1	4.3	2.6	11.2	1.6	2.6	1.6	0.6	17.7	1.9	5.8
1996	0.6	0.2	0.1	4.5	2.5	12.4	1.7	2.8	1.7	0.5	19.2	2.0	5.9
1997	0.7	0.2	0.1	5.0	2.3	14.1	1.5	2.6	1.8	0.4	21.5	1.7	5.4
1998	0.7	0.2	0.1	5.0	2.1	9.5	1.5	2.8	1.5	0.8	16.8	1.6	5.7
1999	0.9	0.2	0.0	6.2	2.1	9.3	1.4	2.4	1.8	0.5	18.1	1.6	5.1
2000	1.0	0.2	0.1	5.9	2.3	9.2	1.1	2.7	1.7	0.6	17.8	1.3	5.6
2001	0.9	0.2	0.1	5.4	2.0	9.4	1.1	2.2	1.5	0.5	17.2	1.3	4.8
2002	1.0	0.2	0.1	5.4	2.1	8.4	1.0	2.1	1.4	0.3	16.2	1.2	4.6
2003	1.0	0.2	0.1	5.4	2.6	8.8	1.1	2.0	1.6	0.4	16.7	1.3	5.1
2004	1.1	0.2	0.1	5.3	2.7	8.7	1.1	2.0	1.6	0.4	16.7	1.3	5.1
2005	1.1	0.2	0.1	5.3	2.7	8.7	1.1	2.0	1.8	0.4	16.9	1.3	5.1
2006	1.1	0.2	0.1	5.8	2.3	8.1	1.0	2.1	1.7	0.4	16.7	1.1	4.8
2007	1.2	0.1	0.1	5.6	2.7	8.1	0.9	1.5	1.7	0.4	16.5	1.1	4.6
2008	1.2	0.2	0.1	6.0	2.7	8.1	1.0	1.5	1.6	0.4	16.9	1.2	4.8
2009	1.3	0.2	0.1	6.2	2.5	7.4	0.9	1.5	1.7	0.4	16.6	1.0	4.4
2010	1.4	0.1	0.1	5.6	2.5	7.6	0.7	1.5	1.3	0.4	15.9	0.9	4.4
2011 f	1.4	0.1	0.1	5.9	2.5	7.6	0.9	1.5	1.4	0.4	16.4	1.0	4.5
2012 f	1.4	0.1	0.1	5.8	2.5	7.5	0.9	1.7	1.4	0.4	16.1	0.9	4.6

r = revised. f = ERS forecast. Totals may not sum due to rounding.

Source: Calculated by USDA, Economic Research Service.

Percap table 4--Vegetables, processing: Selected U.S. per capita utilization, 1980-2012

Year	Snap beans			Sweet corn			Green peas			Cucumbers	Tomatoes
	Canning	Freezing	Total	Canning	Freezing	Total	Canning	Freezing	Total	Pickling	Processing
----- Pounds, farm weight -----											
1980	4.6	1.4	5.9	13.0	6.4	19.4	2.7	1.8	4.5	5.4	63.6
1981	4.6	1.7	6.3	12.1	6.3	18.4	2.7	1.7	4.4	5.3	59.3
1982	4.2	1.5	5.7	11.6	5.8	17.4	2.5	1.7	4.1	5.1	60.1
1983	4.1	1.5	5.5	11.6	6.7	18.3	2.4	1.8	4.2	5.2	60.9
1984	3.7	1.8	5.5	10.2	8.0	18.2	2.0	2.0	4.0	5.2	68.5
1985	3.8	1.9	5.6	11.9	7.9	19.8	2.1	2.1	4.1	5.8	63.2
1986	3.9	1.5	5.4	12.1	7.6	19.7	2.2	1.9	4.1	5.3	63.6
1987	3.8	1.7	5.4	10.6	7.8	18.5	2.0	1.7	3.7	5.5	65.2
1988	3.8	1.7	5.5	10.4	8.7	19.1	1.8	1.9	3.7	5.3	61.3
1989	3.9	2.0	5.9	9.5	8.4	17.9	1.7	2.0	3.7	5.2	69.4
1990	3.7	1.9	5.6	11.0	8.6	19.6	2.0	2.2	4.2	5.0	75.3
1991	4.1	1.8	5.9	11.1	9.4	20.4	1.9	2.3	4.2	5.1	77.1
1992	4.0	1.7	5.7	11.9	8.9	20.8	2.1	2.0	4.1	4.6	73.3
1993	4.0	1.7	5.7	11.1	9.7	20.8	1.6	1.9	3.5	4.3	75.8
1994	3.8	1.9	5.7	10.1	9.1	19.2	1.4	2.1	3.6	4.8	76.3
1995	3.5	1.7	5.2	10.4	10.3	20.7	1.6	2.1	3.6	5.1	74.6
1996	3.9	1.9	5.8	10.4	10.4	20.7	1.5	1.9	3.4	4.1	73.5
1997	3.6	1.8	5.4	9.2	10.1	19.2	1.5	2.0	3.5	5.2	72.6
1998	3.8	2.0	5.7	9.2	9.8	19.0	1.5	1.9	3.3	4.0	74.0
1999	3.7	2.0	5.6	9.1	10.1	19.2	1.4	2.0	3.5	4.2	71.2
2000	4.0	1.8	5.8	9.0	9.1	18.1	1.5	2.1	3.7	4.9	70.1
2001	3.8	1.9	5.7	8.7	9.3	18.0	1.4	2.0	3.3	3.7	65.5
2002	3.4	1.8	5.1	7.8	9.3	17.2	1.1	1.7	2.8	5.4	69.4
2003	3.7	1.9	5.5	8.3	9.0	17.3	1.3	1.8	3.1	4.5	69.9
2004	3.7	1.9	5.7	8.2	9.1	17.3	1.2	1.6	2.8	4.9	70.5
2005	4.0	1.8	5.8	8.6	9.5	18.0	1.1	1.6	2.7	3.8	73.7
2006	3.9	1.9	5.8	8.4	9.4	17.8	1.2	1.6	2.8	3.0	64.5
2007	3.5	2.1	5.6	6.9	10.0	16.8	1.2	1.8	3.0	3.7	68.7
2008	3.3	2.1	5.4	6.7	9.3	16.0	1.1	1.8	2.9	3.5	67.1
2009	3.6	1.9	5.5	7.6	9.1	16.7	1.3	1.7	3.0	5.1	70.3
2010	3.7	2.0	5.7	6.8	8.5	15.4	1.2	1.6	2.7	3.7	71.0
2011 f	3.4	1.9	5.3	6.5	8.6	15.1	1.1	1.6	2.7	3.3	72.9
2012 f	3.1	1.8	4.9	6.2	9.0	15.1	1.1	1.5	2.6	3.9	70.6

Year	Spinach			Cabbage for kraut		Chile peppers 1/	Green lima beans 2/	Onions	Other 3/	Dual use 4/	Total 5/
	Canning	Freezing	Total	Canning	Canning	Processing	Processing	Dehydrating	Process	Processing	processing
----- Pounds, farm weight -----											
1980	0.6	0.8	1.4	1.8	2.0	3.1	0.7	0.8	1.3	6.2	115.9
1981	0.5	0.8	1.3	1.6	2.0	3.3	0.7	0.8	1.4	6.4	111.3
1982	0.4	0.7	1.1	1.4	1.7	3.1	0.6	2.0	1.5	5.7	109.5
1983	0.3	0.5	0.8	1.3	2.1	3.3	0.5	1.7	1.6	5.9	111.2
1984	0.3	0.5	0.8	1.3	1.7	3.6	0.7	1.5	1.4	7.1	119.5
1985	0.4	0.6	1.1	1.0	1.6	3.9	0.6	1.6	1.5	6.5	116.2
1986	0.4	0.6	0.9	1.2	1.6	4.2	0.6	1.9	1.7	6.1	116.1
1987	0.3	0.5	0.8	0.9	1.6	4.2	0.5	1.5	1.7	6.7	116.2
1988	0.3	0.6	0.9	1.0	1.4	4.3	0.4	1.7	2.0	7.2	113.7
1989	0.3	0.4	0.8	1.0	1.3	4.5	0.4	1.6	2.1	6.7	120.4
1990	0.4	0.2	0.6	1.0	1.2	4.8	0.3	2.0	2.6	6.9	129.0
1991	0.3	0.7	1.0	1.0	1.4	4.5	0.4	1.6	2.6	6.8	131.9
1992	0.4	0.5	0.8	0.9	1.2	5.6	0.5	1.4	2.3	7.5	128.6
1993	0.4	0.6	1.0	0.8	1.4	4.9	0.4	2.0	2.6	7.1	130.3
1994	0.5	0.5	1.0	1.1	1.2	4.1	0.5	1.0	2.9	7.5	128.8
1995	0.5	0.5	1.0	1.1	1.4	3.8	0.5	1.3	2.5	7.7	128.6
1996	0.4	0.7	1.1	0.9	1.0	4.7	0.6	0.8	2.7	7.9	127.2
1997	0.3	0.5	0.8	0.9	1.4	4.6	0.5	0.9	3.0	7.1	125.1
1998	0.3	0.5	0.8	0.8	1.4	4.8	0.5	1.1	3.1	7.3	125.7
1999	0.3	0.6	0.9	0.8	1.2	4.7	0.5	2.3	3.5	6.7	124.2
2000	0.2	0.9	1.1	0.8	1.4	5.2	0.5	1.6	3.4	6.9	123.4
2001	0.1	0.7	0.9	0.8	1.3	5.2	0.4	1.0	3.9	6.2	115.9
2002	0.1	0.7	0.8	0.5	1.2	5.8	0.5	1.1	4.8	5.8	120.3
2003	0.1	0.8	0.9	0.6	1.1	5.6	0.4	1.8	4.3	6.4	121.4
2004	0.1	0.9	1.0	0.6	1.1	6.1	0.3	1.5	4.6	6.4	122.8
2005	0.1	0.7	0.7	0.6	1.2	6.1	0.3	1.1	5.4	6.4	125.9
2006 6/	0.0	0.5	0.5	0.4	1.2	6.4	0.4	1.8	5.4	5.9	115.8
2007	0.1	0.7	0.8	0.4	1.0	5.9	0.4	1.0	5.1	5.7	118.2
2008	0.1	0.8	0.9	0.5	0.9	6.2	0.3	1.5	4.7	5.9	116.0
2009	0.1	0.7	0.8	0.5	0.9	6.6	0.3	1.9	5.1	5.4	121.9
2010	0.1	0.7	0.7	0.4	0.8	6.5	0.4	1.5	5.4	5.2	119.6
2011 f	0.1	0.7	0.8	0.4	0.8	6.6	0.4	1.5	4.9	5.4	120.2
2012 f	0.1	0.7	0.8	0.4	0.8	6.7	0.3	1.5	5.0	5.6	118.0

-- = Not available. f = ERS forecast. Totals may not sum due to rounding.

1/ Includes fresh and processing uses. 2/ Canning and freezing. 3/ Includes all other vegetables for freezing except potatoes. After 1989, includes misc. canning vegetables. 4/ Total of canning and freezing from table 83. 5/ Excludes potatoes, sweet potatoes, and pulses for processing. 6/ Canning spinach was less than 0.1 lbs.

Source: Calculated by USDA, Economic Research Service.

Percap table 5--Potatoes: U.S. per capita utilization, by category, 1970-2012 1/

Year	Total	Fresh	Processing				
			Total	Freezing	Chips & shoe-strings	Dehydrating	Canning
----- Pounds/person/year, farm weight -----							
1970	121.7	61.8	59.9	28.5	17.4	12.0	2.0
1971	117.8	56.1	61.7	30.1	17.2	12.3	2.1
1972	119.4	57.9	61.5	30.3	16.7	12.4	2.1
1973	118.3	52.4	65.8	34.2	16.3	13.1	2.2
1974	117.2	49.4	67.8	35.3	15.7	14.5	2.3
1975	121.9	52.6	69.3	37.1	15.5	14.7	2.0
1976	125.3	49.5	75.9	41.8	15.8	16.3	2.0
1977	122.1	50.1	72.0	42.2	16.2	11.4	2.2
1978	119.4	46.0	73.5	42.6	16.5	12.1	2.3
1979	117.8	49.3	68.5	38.5	16.7	11.2	2.1
1980	114.7	51.1	63.6	35.4	16.5	9.8	1.9
1981	116.5	45.8	70.7	41.5	16.6	10.8	1.8
1982	115.0	47.1	67.9	38.6	17.0	10.4	1.9
1983	118.7	49.8	68.9	39.2	17.8	10.0	1.9
1984	122.1	48.3	73.8	43.7	18.0	10.3	1.8
1985	122.4	46.3	76.1	45.4	17.6	11.2	1.9
1986	125.9	48.8	77.1	46.3	18.1	10.9	1.8
1987	126.0	47.9	78.1	47.9	17.6	10.8	1.8
1988	122.3	49.6	72.7	43.3	17.1	10.4	1.9
1989	127.0	50.0	77.0	46.8	17.4	10.8	2.0
1990	123.9	46.7	77.2	46.4	16.4	12.6	1.8
1991	134.1	50.2	83.9	51.1	17.3	13.8	1.7
1992	129.9	48.3	81.6	49.9	17.1	12.8	1.8
1993	136.7	50.1	86.6	53.5	17.7	13.7	1.7
1994	136.7	49.6	87.1	55.7	16.5	13.2	1.7
1995	136.9	49.2	87.7	56.2	16.4	13.2	1.9
1996	145.0	49.9	95.1	60.2	16.4	16.7	1.8
1997	137.8	47.3	90.5	57.8	15.5	15.5	1.7
1998	137.7	46.9	90.8	58.1	14.7	16.5	1.5
1999	136.2	47.7	88.5	58.5	15.9	12.4	1.7
2000	137.7	47.2	90.5	57.5	15.6	15.7	1.7
2001	138.5	46.6	91.9	58.2	17.4	14.8	1.6
2002	131.9	44.3	87.6	55.2	16.3	14.7	1.4
2003	137.9	46.8	91.2	57.1	17.2	15.5	1.4
2004	134.6	45.8	88.8	57.4	16.4	13.8	1.2
2005	125.4	41.3	84.1	54.4	16.1	12.8	0.9
2006	123.7	38.6	85.1	53.3	18.6	12.4	0.8
2007	124.4	38.7	85.7	53.2	18.6	13.0	0.9
2008	118.3	37.8	80.5	51.5	15.7	12.4	0.9
2009 r	113.5	36.7	76.8	50.5	13.7	11.8	0.8
2010	113.9	36.8	77.1	50.1	15.0	11.2	0.7
2011 f	112.2	35.0	77.2	49.5	16.0	11.0	0.7
2012 f	112.4	35.2	77.2	49.7	14.9	11.9	0.8

r = Revised. f = ERS forecast.

1/ Calendar-year estimates on a fresh-equivalent basis.

Source: Calculated by USDA, Economic Research Service.

Percap table 6--Dry edible beans: U.S. per capita use for selected classes, calendar year 1970-2012 1/

Year	Pinto	Navy	Great Northern	Red kidney			Black	Lima beans			Small red	Garbanzo	Blackeye	Pink	Cranberry	Other 2/	Total
				All	Dark red	Light red		All	Baby	Large							
-- Pounds per person --																	
1970	2.24	1.69	0.39	0.45	--	--	0.01	0.36	0.15	0.21	--	--	--	--	1.11	6.24	
1971	2.45	1.78	0.46	0.55	--	--	0.03	0.31	0.14	0.16	--	--	--	--	1.20	6.76	
1972	1.96	1.84	0.37	0.29	--	--	0.02	0.26	0.13	0.13	--	--	--	--	1.03	5.77	
1973	2.48	2.36	0.40	0.44	--	--	0.01	0.34	0.14	0.20	--	--	--	--	1.40	7.44	
1974	1.32	1.22	0.57	0.49	--	--	0.02	0.38	0.16	0.22	--	--	--	--	1.48	5.48	
1975	1.68	2.30	0.59	0.50	--	--	0.03	0.41	0.18	0.23	--	--	--	--	1.30	6.80	
1976	2.53	1.37	0.43	0.58	--	--	0.01	0.27	0.11	0.16	--	--	--	--	1.08	6.27	
1977	2.03	2.12	0.38	0.53	--	--	0.01	0.27	0.09	0.17	--	--	--	--	1.34	6.67	
1978	1.85	1.16	0.33	0.51	--	--	0.03	0.29	0.14	0.16	--	--	--	--	0.89	5.06	
1979	1.90	1.98	0.40	0.48	--	--	0.02	0.32	0.17	0.15	--	--	--	--	1.14	6.24	
1980	0.79	2.01	0.41	0.48	--	--	0.01	0.31	0.17	0.13	0.10	0.14	0.23	0.19	0.12	0.09	4.88
1981	1.98	1.15	0.29	0.31	--	--	0.07	0.28	0.10	0.18	0.16	0.15	0.19	0.39	0.11	0.41	5.49
1982	3.27	1.56	0.49	0.51	--	--	0.04	0.35	0.18	0.17	0.06	0.11	0.29	0.33	0.11	0.36	7.47
1983	2.35	1.60	0.45	0.52	--	--	0.03	0.28	0.11	0.17	0.10	0.14	0.26	0.14	0.14	0.31	6.32
1984	1.70	1.72	0.49	0.34	--	--	0.02	0.31	0.12	0.19	0.04	0.10	0.21	0.05	0.07	0.41	5.46
1985	2.77	1.85	0.47	0.45	--	--	0.01	0.37	0.11	0.25	0.05	0.07	0.23	0.10	0.07	0.59	7.03
1986	2.63	1.19	0.47	0.50	--	--	0.03	0.35	0.11	0.24	0.16	0.09	0.19	0.30	0.10	0.52	6.53
1987	2.25	1.44	0.20	0.36	--	--	0.05	0.18	0.08	0.10	0.08	0.10	0.23	0.18	0.06	0.35	5.48
1988	3.34	1.12	0.54	0.31	--	--	0.01	0.20	0.04	0.16	0.10	0.13	0.35	0.20	0.05	0.59	6.94
1989	2.13	1.06	0.44	0.40	--	--	0.06	0.30	0.10	0.19	0.17	0.13	0.30	0.07	0.05	0.38	5.49
1990	3.08	1.26	0.36	0.59	0.18	0.41	0.10	0.23	0.08	0.15	0.12	0.10	0.27	0.26	0.08	0.28	6.73
1991	3.28	1.47	0.50	0.52	0.13	0.39	0.15	0.25	0.10	0.15	0.17	0.11	0.28	0.22	0.12	0.29	7.36
1992	3.79	1.54	0.49	0.56	0.14	0.42	0.14	0.22	0.07	0.15	0.04	0.10	0.29	0.16	0.17	0.30	7.80
1993	3.55	1.20	0.42	0.59	0.13	0.46	0.21	0.23	0.07	0.16	0.19	0.18	0.24	0.18	0.14	0.18	7.31
1994	3.31	1.84	0.35	0.61	0.20	0.41	0.30	0.19	0.06	0.14	0.12	0.16	0.28	0.21	0.18	0.22	7.77
1995	3.22	1.65	0.36	0.54	0.14	0.40	0.43	0.24	0.10	0.14	0.14	0.13	0.26	0.18	0.13	0.22	7.50
1996	3.40	1.27	0.54	0.55	0.19	0.36	0.36	0.20	0.07	0.13	0.17	0.26	0.26	0.15	0.17	0.04	7.37
1997	3.47	1.37	0.40	0.55	0.13	0.42	0.34	0.21	0.08	0.13	0.14	0.24	0.24	0.20	0.17	0.02	7.35
1998	3.44	1.11	0.35	0.61	0.18	0.43	0.53	0.21	0.13	0.09	0.21	0.16	0.22	0.21	0.15	0.01	7.21
1999	3.46	1.22	0.53	0.59	0.17	0.42	0.62	0.21	0.08	0.13	0.22	0.16	0.25	0.28	0.17	0.05	7.76
2000	3.47	1.16	0.47	0.49	0.18	0.31	0.57	0.17	0.07	0.10	0.13	0.41	0.22	0.15	0.14	0.27	7.65
2001	3.23	1.00	0.45	0.53	0.22	0.31	0.49	0.21	0.10	0.11	0.12	0.36	0.22	0.09	0.04	0.20	6.94
2002	3.25	0.90	0.36	0.49	0.26	0.23	0.46	0.15	0.07	0.08	0.09	0.28	0.18	0.12	0.07	0.39	6.74
2003	3.06	0.85	0.42	0.59	0.25	0.34	0.46	0.15	0.06	0.09	0.17	0.17	0.23	0.22	0.05	0.36	6.73
2004	2.73	0.55	0.34	0.49	0.20	0.29	0.54	0.14	0.06	0.08	0.16	0.25	0.13	0.19	0.06	0.35	5.93
2005	2.52	0.66	0.29	0.62	0.28	0.34	0.49	0.13	0.05	0.08	0.25	0.29	0.16	0.21	0.06	0.38	6.06
2006	2.91	0.94	0.21	0.43	0.22	0.21	0.54	0.11	0.03	0.08	0.19	0.44	0.17	0.19	0.04	0.32	6.49
2007	2.71	0.98	0.27	0.49	0.19	0.30	0.55	0.09	0.03	0.06	0.18	0.45	0.16	0.18	0.02	0.29	6.37
2008	2.76	0.99	0.20	0.62	0.31	0.31	0.53	0.13	0.05	0.08	0.25	0.34	0.18	0.18	0.02	0.22	6.42
2009	2.67	0.64	0.20	0.50	0.19	0.31	0.54	0.13	0.04	0.09	0.27	0.38	0.24	0.17	0.01	0.28	6.03
2010	3.25	0.84	0.26	0.47	0.24	0.23	0.54	0.11	0.06	0.05	0.20	0.44	0.17	0.15	0.01	0.64	7.08
2011f	2.69	0.80	0.22	0.42	0.20	0.22	0.55	0.15	0.07	0.08	0.21	0.47	0.14	0.14	0.01	0.44	6.24
2012f	2.67	0.82	0.27	0.45	0.20	0.25	0.54	0.13	0.06	0.07	0.22	0.48	0.16	0.15	0.02	0.44	6.35

r = revised. p = preliminary. f = ERS forecast. Totals may not sum due to rounding. 1/ Per capita disappearance reflects domestic production, net trade, and estimated change in stocks.

2/ Includes small white and all other dry edible beans after 1979.

Source: Computed by USDA, Economic Research Service.

Percap table 7--Mushrooms, all: U.S. per capita utilization, 1970-2011

Crop year	Fresh	Processing	Total
-- Pounds, farm weight --			
1970	0.28	0.98	1.26
1971	0.32	1.13	1.45
1972	0.36	1.25	1.61
1973	0.48	1.22	1.70
1974	0.59	1.22	1.81
1975	0.66	1.23	1.89
1976	0.69	1.45	2.14
1977	0.86	1.62	2.48
1978	1.02	1.66	2.68
1979	1.13	1.73	2.86
1980	1.20	1.53	2.73
1981	1.38	1.53	2.91
1982	1.44	1.51	2.95
1983	1.65	1.81	3.46
1984	1.77	1.76	3.53
1985	1.78	1.81	3.59
1986	1.87	1.88	3.75
1987	1.92	1.64	3.56
1988	1.98	1.54	3.52
1989	2.04	1.53	3.57
1990	1.99	1.70	3.69
1991	1.93	1.74	3.67
1992	1.98	1.68	3.66
1993	1.97	1.70	3.67
1994	2.02	1.93	3.95
1995	2.02	1.74	3.76
1996	2.08	1.82	3.90
1997	2.30	1.65	3.95
1998	2.45	1.41	3.86
1999	2.48	1.58	4.06
2000	2.58	1.48	4.06
2001	2.57	1.34	3.91
2002	2.61	1.48	4.09
2003	2.63	1.51	4.14
2004	2.60	1.55	4.15
2005	2.62	1.30	3.92
2006	2.56	1.47	4.03
2007	2.47	1.43	3.90
2008	2.44	1.18	3.62
2009	2.42	1.14	3.56
2010	2.59	1.23	3.82
2011 f	2.62	1.29	3.91
2012 f	2.63	1.31	3.94

f = ERS forecast as of 12/15/11. The crop year begins on July 1 of the year listed in the table and runs through June 30 of the following year.

Source: Economic Research Service, USDA.

Percap table 8--U.S. aggregate expenditures for fruits and vegetables consumed at home, 1990, 2000-10 1/ 2/

Year	All food at home	Fruits & vegetables	Vegetables			Fruits		
			Fresh	Processed	Total	Fresh	Processed	Total
-- Billion dollars --								
2010--U.S.	438.143	82.147	25.445	14.993	40.438	28.077	13.632	41.709
Northeast	88.067	16.676	5.165	2.969	8.134	5.643	2.876	8.520
Midwest	92.010	18.237	5.420	3.433	8.853	6.317	3.094	9.412
South	148.092	26.205	8.066	5.278	13.344	8.535	4.335	12.870
West	109.974	21.030	6.819	3.313	10.133	7.553	3.326	10.879
2009--U.S.	453.596	79.341	25.278	13.252	38.530	26.544	14.267	40.811
Northeast	91.173	16.979	5.561	2.690	8.251	5.574	3.124	8.699
Midwest	99.791	16.741	5.030	2.902	7.933	5.707	3.082	8.789
South	152.862	25.548	7.912	4.863	12.775	8.149	4.608	12.757
West	109.770	20.153	6.775	2.796	9.571	7.140	3.438	10.579
2008--U.S.	451.454	79.194	25.542	12.864	38.406	26.756	14.032	40.788
Northeast	89.839	16.235	5.338	2.418	7.757	5.405	3.031	8.436
Midwest	96.160	16.076	4.776	2.856	7.632	5.431	3.031	8.462
South	153.494	25.500	7.969	4.670	12.639	8.294	4.546	12.841
West	111.961	21.462	7.458	2.920	10.378	7.625	3.410	11.035
2007--U.S.	416.229	72.058	22.858	11.475	34.333	24.234	13.492	37.726
Northeast	81.581	14.628	4.640	2.100	6.740	4.895	3.022	7.917
Midwest	89.905	15.060	4.434	2.456	6.890	5.283	2.901	8.184
South	142.767	23.779	7.543	4.234	11.777	7.634	4.385	12.019
West	102.392	18.519	6.217	2.685	8.903	6.446	3.198	9.644
2006--U.S.	405.396	70.293	22.929	11.218	34.147	23.187	12.958	36.145
Northeast	77.836	14.269	4.746	2.075	6.822	4.684	2.760	7.444
Midwest	90.403	14.691	4.517	2.378	6.895	5.008	2.799	7.807
South	134.186	21.931	7.383	3.971	11.354	6.701	3.836	10.537
West	102.971	19.401	6.283	2.782	9.065	6.794	3.563	10.357
2005--U.S.	386.483	64.657	20.479	10.459	30.938	21.282	12.437	33.719
Northeast	81.548	14.612	4.854	2.123	6.977	4.788	2.836	7.624
Midwest	85.026	13.578	3.932	2.291	6.222	4.597	2.773	7.370
South	127.539	20.108	6.308	3.755	10.062	6.278	3.768	10.047
West	92.369	16.358	5.386	2.291	7.676	5.618	3.060	8.678
2004--U.S.	388.283	65.077	21.223	9.471	30.694	21.664	12.719	34.383
Northeast	80.375	14.122	4.605	1.979	6.585	4.723	2.798	7.521
Midwest	85.034	13.601	3.947	2.093	6.041	4.571	2.989	7.560
South	130.075	20.890	6.940	3.400	10.340	6.694	3.854	10.548
West	92.800	16.464	5.730	1.998	7.729	5.676	3.065	8.741
2003--U.S.	360.060	61.614	19.789	9.688	29.477	19.664	12.473	32.137
Northeast	73.092	13.001	4.215	1.947	6.162	4.110	2.719	6.829
Midwest	78.853	12.816	3.859	2.209	6.068	4.149	2.607	6.756
South	121.340	19.778	6.234	3.546	9.779	6.037	3.966	10.003
West	86.774	16.020	5.501	1.986	7.487	5.388	3.181	8.569
2002--U.S.	345.917	61.623	19.522	9.314	28.836	19.893	12.894	32.787
Northeast	71.605	13.126	4.256	1.742	5.998	4.297	2.862	7.159
Midwest	75.064	12.571	3.729	2.040	5.768	4.038	2.759	6.798
South	116.920	20.151	6.267	3.465	9.731	6.366	4.062	10.427
West	82.328	15.775	5.290	2.068	7.358	5.212	3.211	8.423
2001--U.S.	340.046	57.499	17.812	9.222	27.034	17.678	12.788	30.466
Northeast	71.410	12.822	3.865	1.983	5.848	4.031	2.916	6.946
Midwest	74.470	11.787	3.456	1.974	5.429	3.765	2.609	6.374
South	116.636	18.860	5.842	3.329	9.171	5.480	4.220	9.700
West	77.530	14.030	4.667	1.937	6.603	4.402	3.044	7.445
2000--U.S.	329.324	56.774	17.302	9.150	26.452	17.786	12.537	30.323
Northeast	69.817	12.604	4.014	1.812	5.826	3.948	2.846	6.794
Midwest	74.098	12.150	3.443	2.050	5.493	3.788	2.846	6.634
South	108.348	18.054	5.364	3.321	8.685	5.425	3.937	9.361
West	77.062	13.966	4.481	1.967	6.448	4.624	2.896	7.520
1990--U.S.	240.057	39.365	11.422	6.736	18.158	12.242	8.965	21.207
Northeast	52.332	8.936	2.570	1.442	4.011	2.730	2.196	4.926
Midwest	55.693	8.975	2.444	1.489	3.933	2.914	2.134	5.047
South	77.298	12.321	3.552	2.425	5.977	3.709	2.627	6.336
West	54.733	9.133	2.856	1.381	4.236	2.889	2.008	4.897

1/ Excludes food sourced away from home. 2/ Regions were calculated from rounded share data and may not sum to the U.S. total. Regions are as defined by the census. 3/ All food away from home totaled \$316.522 billion in 2009. No breakdowns by food groups are available.

Source: U.S. Dept. of Labor, Bureau of Labor Statistics, *Consumer Expenditure Survey* (various years). <http://www.bls.gov/cex/#tables>

Percap table 9--Vegetables: Share of U.S. adults who consumed vegetables three times or more per day

State	2000	2002	2003	2005	2007	2009
----- Percent of adults age 18 or more -----						
Alabama	30.1	27.8	28.5	27.9	28.5	26.9
Alaska	25.4	23.8	26.3	24.6	27.7	27.5
Arizona	38.4	27.1	25.1	26.9	29.9	24.4
Arkansas	29.4	29.4	28.7	29.1	29.2	26.9
California	23.3	23.5	24.6	26.5	25.6	26.8
Colorado	25.6	23.6	25.7	25.3	26.5	25.3
Connecticut	29.2	31.0	30.1	29.9	29.3	28.5
Delaware	29.8	25.5	26.9	26.5	26.1	27.7
District of Columbia	26.1	32.5	29.2	31.3	32.8	32.3
Florida	24.4	27.9	27.4	28.2	29.2	28.3
Georgia	29.2	29.5	29.8	30.9	30.4	29.5
Hawaii	27.0	25.7	36.1	29.5	29.6	26.8
Idaho	24.7	25.1	22.8	27.4	25.2	27.8
Illinois	25.8	22.6	25.4	24.0	23.3	23.3
Indiana	25.5	24.2	25.0	25.2	26.5	23.7
Iowa	21.4	22.6	21.3	23.4	22.4	21.9
Kansas	29.8	25.9	26.8	26.5	27.2	26.0
Kentucky	35.5	32.4	31.4	30.2	28.8	29.4
Louisiana	22.8	25.4	25.3	25.9	26.1	21.3
Maine	29.6	30.7	27.9	32.5	31.6	30.6
Maryland	29.6	31.5	31.4	30.6	28.9	28.7
Massachusetts	29.4	29.1	28.2	29.8	28.9	28.1
Michigan	21.3	21.3	20.5	24.3	23.2	23.9
Minnesota	23.3	21.9	23.9	23.1	25.9	26.4
Mississippi	25.1	25.7	24.0	22.6	22.2	21.6
Missouri	26.1	26.7	25.7	25.7	26.2	23.0
Montana	27.4	26.4	24.1	28.6	28.6	28.0
Nebraska	24.0	22.5	23.0	24.6	26.3	24.3
Nevada	24.7	21.2	20.8	23.5	24.3	25.5
New Hampshire	28.5	29.0	28.5	32.3	30.5	30.4
New Jersey	28.0	27.5	26.3	27.4	29.5	26.2
New Mexico	23.5	24.8	25.1	26.8	26.3	27.3
New York	27.7	24.5	24.2	25.3	27.2	24.7
North Carolina	32.1	31.2	32.6	32.0	29.7	27.5
North Dakota	23.8	22.6	22.3	23.8	24.5	24.6
Ohio	24.6	24.5	25.8	25.1	25.2	24.6
Oklahoma	27.8	25.0	27.4	23.7	24.2	23.0
Oregon	27.4	28.2	25.9	29.0	29.8	30.5
Pennsylvania	25.3	25.0	23.6	26.2	27.1	25.1
Rhode Island	29.3	27.1	27.7	27.3	26.4	25.9
South Carolina	29.9	29.1	26.8	26.2	25.6	22.9
South Dakota	25.7	23.4	23.7	24.5	23.9	19.6
Tennessee	43.5	39.8	35.3	39.0	37.9	33.0
Texas	27.4	26.6	26.2	28.5	29.7	27.2
Utah	21.0	20.8	20.4	22.8	24.9	24.4
Vermont	29.6	29.4	32.3	31.2	31.8	30.3
Virginia	28.1	31.8	30.0	29.7	30.5	30.3
Washington	23.0	24.8	25.4	27.4	29.2	28.3
West Virginia	29.9	29.1	27.7	30.6	25.9	22.1
Wisconsin	20.3	22.7	20.7	21.1	23.6	23.2
Wyoming	25.6	24.7	26.1	25.9	26.8	26.9
United States	26.7	26.3	26.2	27.1	27.4	26.3

Source: Behavioral Risk Factor Surveillance System, 2000-09, Center for Disease Control and Prevention.

Percap table 10--Canadian per capita use of selected fresh, and processing vegetables and melons, 1997-2009

Crop	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
	<i>Kilograms, retail-weight equivalent/year</i>												
Artichokes, fresh	0.06	0.07	0.09	0.09	0.08	0.07	0.06	0.05	0.06	0.05	0.06	0.08	0.05
Asparagus, all	0.44	0.45	0.50	0.53	0.55	0.57	0.64	0.70	0.82	0.91	0.89	0.95	1.05
Fresh	0.25	0.26	0.32	0.36	0.37	0.40	0.47	0.46	0.53	0.60	0.59	0.63	0.70
Canning	0.19	0.19	0.18	0.17	0.18	0.17	0.17	0.24	0.29	0.31	0.30	0.32	0.35
Beans, green and wax, all	2.08	2.27	2.28	2.28	2.29	2.39	2.39	2.79	2.44	2.53	2.40	2.35	2.23
Fresh	0.76	0.82	0.84	0.85	0.82	0.93	0.96	1.13	0.92	1.08	0.99	0.95	0.96
Canning	1.01	1.14	1.14	1.13	1.16	1.15	1.12	1.29	1.18	1.12	1.08	1.08	0.99
Freezing	0.31	0.31	0.30	0.30	0.31	0.31	0.31	0.37	0.34	0.33	0.33	0.32	0.28
Beets, all	0.48	0.47	0.45	0.51	0.54	0.49	0.48	0.48	0.45	0.62	0.50	0.45	0.81
Fresh	0.30	0.29	0.28	0.34	0.37	0.33	0.32	0.32	0.30	0.46	0.36	0.32	0.64
Canning	0.18	0.18	0.17	0.17	0.17	0.16	0.16	0.16	0.15	0.16	0.14	0.13	0.17
Broccoli, all	3.78	3.80	3.90	3.84	3.86	3.79	3.50	3.88	3.79	3.65	3.80	3.53	3.58
Fresh	3.23	3.21	3.27	3.17	3.15	3.12	2.83	3.14	3.08	2.98	3.11	2.89	2.89
Freezing	0.55	0.59	0.63	0.67	0.71	0.67	0.67	0.74	0.71	0.67	0.69	0.64	0.69
Brussels sprouts	0.22	0.22	0.20	0.23	0.25	0.24	0.20	0.23	0.20	0.22	0.25	0.25	0.24
Fresh	0.16	0.15	0.14	0.17	0.17	0.17	0.14	0.16	0.13	0.14	0.15	0.16	0.14
Freezing	0.06	0.07	0.06	0.06	0.08	0.07	0.06	0.07	0.07	0.08	0.10	0.09	0.10
Cabbage, fresh 1/	5.12	5.91	5.71	5.48	4.81	4.86	4.12	5.18	4.81	4.88	4.99	4.59	5.20
Cabbage, chinese	0.65	0.66	0.63	0.65	0.63	0.75	0.69	0.67	0.72	0.74	0.77	0.80	0.85
Carrots, all	8.73	10.53	9.35	9.72	9.97	8.95	9.63	8.12	9.60	7.94	8.32	7.55	8.47
Fresh	7.42	9.21	8.06	8.44	8.67	7.68	8.34	6.84	8.31	6.64	7.05	6.30	7.19
Canning	0.14	0.15	0.13	0.12	0.15	0.12	0.14	0.13	0.14	0.15	0.12	0.11	0.14
Freezing	1.17	1.17	1.16	1.16	1.15	1.15	1.15	1.15	1.15	1.15	1.15	1.14	1.14
Cauliflower, all	1.98	2.07	2.33	2.25	2.50	2.27	2.27	2.22	2.36	2.37	2.17	2.44	2.69
Fresh	1.82	1.90	2.15	2.09	2.31	2.13	2.13	2.08	2.25	2.25	2.07	2.32	2.57
Freezing	0.16	0.17	0.18	0.16	0.19	0.14	0.14	0.14	0.11	0.12	0.10	0.12	0.12
Celery, fresh	3.69	3.63	3.66	3.38	3.46	3.72	3.65	3.80	3.51	3.38	3.56	3.27	3.32
Sweet corn, all 3/	5.92	6.35	5.76	5.19	5.52	5.57	5.44	5.61	5.62	5.62	4.93	5.26	5.10
Fresh	3.28	3.89	3.36	2.76	3.05	3.20	3.14	3.49	3.56	3.54	2.92	3.35	3.21
Canning	1.60	1.58	1.56	1.54	1.48	1.41	1.35	1.18	1.12	1.15	1.09	1.03	1.00
Freezing	1.04	0.88	0.84	0.89	0.99	0.96	0.95	0.94	0.94	0.93	0.92	0.88	0.89
Cucumbers, fresh (incl greenhouse)	3.34	3.78	3.70	3.95	4.16	3.35	3.08	3.51	4.14	5.27	4.58	4.39	4.76
Eggplant	0.35	0.33	0.35	0.40	0.40	0.41	0.42	0.42	0.42	0.45	0.45	0.46	0.53
Garlic	0.27	0.32	0.35	0.36	0.36	0.36	0.36	0.37	0.35	0.34	0.45	0.44	0.44
Lettuce, all (incl greenhouse)	10.26	10.23	10.66	10.31	11.15	11.69	11.45	10.99	11.11	10.60	10.05	9.64	9.98
Melons, fresh	7.63	7.57	8.65	8.39	7.93	9.31	9.80	10.51	10.08	10.54	10.59	10.03	10.00
Watermelons	3.79	3.76	4.41	4.30	3.59	4.83	5.54	6.15	5.28	5.66	5.72	5.48	5.54
Muskmelon & cantaloupe	2.28	2.60	2.84	2.74	2.58	2.85	2.91	2.85	3.11	3.04	3.15	2.91	2.99
Others	1.56	1.21	1.40	1.35	1.76	1.63	1.35	1.51	1.69	1.84	1.72	1.64	1.47
Mushrooms	2.51	2.29	2.47	2.45	2.39	1.80	2.08	2.00	1.92	2.03	1.93	2.16	2.20
Fresh	1.74	1.53	1.76	1.73	1.67	1.13	1.41	1.35	1.30	1.40	1.37	1.63	1.69
Canned	0.77	0.76	0.71	0.72	0.72	0.67	0.67	0.65	0.62	0.63	0.56	0.53	0.51
Onions & shallots, fresh	7.78	8.50	7.96	8.27	8.50	7.96	7.54	7.31	8.36	8.67	8.35	7.23	9.81

Percap table 10--Canadian per capita use of selected fresh, and processing vegetables and melons, 1997-2009

Crop	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
<i>Kilograms, retail-weight equivalent/year</i>													
Parsley	0.19	0.25	0.24	0.26	0.27	0.26	0.24	0.24	0.22	0.26	0.26	0.26	0.25
Parsnips, fresh	0.12	0.12	0.12	0.12	0.12	0.10	0.11	0.10	0.09	0.11	0.08	0.10	0.13
Green peas	2.20	2.24	2.13	2.12	1.98	2.13	2.04	1.87	1.88	1.92	1.86	1.81	1.80
Fresh	0.21	0.21	0.23	0.22	0.25	0.24	0.23	0.25	0.27	0.34	0.30	0.29	0.31
Canning	0.79	0.78	0.72	0.70	0.52	0.70	0.63	0.44	0.44	0.43	0.41	0.40	0.38
Freezing	1.20	1.25	1.18	1.20	1.21	1.19	1.18	1.18	1.17	1.15	1.15	1.12	1.11
Peppers, fresh	3.25	2.70	3.04	3.23	3.26	3.38	3.36	3.55	3.98	4.24	4.10	4.01	4.39
Pumpkins & squash	1.99	1.78	2.27	2.42	2.55	2.10	2.39	2.54	2.62	2.85	2.75	2.77	3.09
Radishes, fresh	0.53	0.47	0.52	0.50	0.50	0.53	0.63	0.55	0.49	0.57	0.56	0.55	0.63
Rutabagas & turnip, fresh	2.12	1.97	1.95	1.59	1.41	1.50	1.21	1.15	1.46	1.00	1.24	1.07	1.21
Spinach	0.64	0.68	0.73	0.81	0.96	1.04	1.03	0.97	0.80	0.72	0.77	0.79	0.87
Fresh	0.50	0.56	0.61	0.67	0.83	0.90	0.89	0.80	0.62	0.53	0.54	0.59	0.65
Freezing	0.14	0.12	0.12	0.14	0.13	0.14	0.14	0.17	0.18	0.19	0.23	0.20	0.22
Sweet potatoes	0.47	0.55	0.59	0.60	0.61	0.62	0.67	0.75	0.75	0.78	0.72	0.80	1.01
Tomatoes, all	15.36	14.75	15.49	15.73	16.46	16.15	15.31	15.69	15.37	15.43	15.97	15.37	15.18
Fresh	7.43	6.84	7.53	7.72	8.43	8.28	7.42	7.76	7.45	7.39	7.94	7.42	7.43
Canning	3.70	3.67	3.71	3.72	3.73	3.72	3.73	3.93	3.93	3.92	3.93	3.87	3.70
Juice (converted to kg from liters)	1.51	1.55	1.54	1.51	1.51	1.47	1.49	1.38	1.40	1.36	1.36	1.28	1.28
Pulp, paste, puree	2.72	2.69	2.71	2.78	2.79	2.68	2.67	2.62	2.59	2.76	2.74	2.80	2.77
Potatoes, white, all 2/	76.53	75.87	74.58	73.64	76.52	72.47	71.31	69.32	68.02	65.91	64.47	63.35	64.22
Other fresh	2.51	2.27	2.42	2.34	1.96	2.31	3.06	2.03	2.08	2.12	2.31	1.85	2.27
Other frozen	0.86	0.91	0.86	1.06	1.12	1.11	1.10	1.08	1.04	0.99	1.08	0.94	0.95
Other canned	2.00	2.25	2.05	1.98	2.38	2.38	1.69	1.40	1.27	1.85	2.37	2.29	2.47
All selected vegetables	172.19	174.03	173.78	172.31	178.86	173.90	171.31	169.41	170.09	168.79	166.73	160.97	168.84
Fresh, incl all potatoes & melons	152.09	153.62	153.83	152.13	158.18	153.53	151.79	150.15	151.25	149.34	146.88	141.68	149.58
Canned & juice (product weight)	14.61	14.94	14.62	14.54	14.79	14.63	13.82	13.42	13.13	13.84	14.10	13.84	13.76
Frozen (product weight)	5.49	5.47	5.33	5.64	5.89	5.74	5.70	5.84	5.71	5.61	5.75	5.45	5.50
Pulse crops													
Dry beans	--	--	--	--	2.11	1.95	1.95	2.39	2.45	2.40	2.50	2.60	2.71
Canned/baked beans	--	--	--	--	1.42	1.35	1.14	1.35	1.29	1.29	1.26	1.23	1.21
Dry peas	--	--	--	--	1.41	1.42	1.20	1.43	1.43	1.43	1.44	1.44	1.45

1/ Excludes Chinese cabbage. 2/ Includes processed potato import and export data (converted to fresh-weight equivalent). 3/ Canned and frozen are not converted to a fresh-weight basis. Data are not adjusted for losses.

Source: *Food Statistics*, Statistics Canada, Cat. no. 21-020.

<http://www.statcan.gc.ca/pub/21-020-x/21-020-x2008001-eng.pdf>

Percap table 11--Fresh market asparagus: U.S. monthly disappearance (pounds per person), 1980-2010

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
<i>Pounds per person, farm weight</i>													
1980	0.008	0.034	0.079	0.097	0.042	0.020	0.004	0.001	0.003	0.002	0.002	0.001	0.29
1981	0.016	0.030	0.086	0.097	0.059	0.015	0.000	0.002	0.003	0.002	0.001	0.000	0.31
1982	0.006	0.027	0.096	0.107	0.088	0.034	0.002	0.005	0.005	0.005	0.002	0.001	0.38
1983	0.005	0.026	0.074	0.130	0.149	0.048	0.001	0.000	0.000	0.000	0.000	0.000	0.43
1984	0.007	0.021	0.101	0.127	0.098	0.033	0.000	0.005	0.005	0.005	0.003	0.000	0.41
1985	0.006	0.030	0.108	0.166	0.096	0.030	0.000	0.005	0.009	0.005	0.003	0.006	0.47
1986	0.032	0.090	0.151	0.149	0.107	0.025	0.007	0.009	0.009	0.007	0.009	0.007	0.60
1987	0.014	0.054	0.149	0.171	0.102	0.029	0.008	0.009	0.007	0.011	0.009	0.004	0.57
1988	0.010	0.062	0.181	0.150	0.096	0.033	0.009	0.008	0.006	0.013	0.009	0.005	0.58
1989	0.009	0.039	0.152	0.170	0.105	0.034	0.011	0.009	0.009	0.017	0.010	0.007	0.57
1990	0.025	0.041	0.151	0.175	0.090	0.035	0.012	0.009	0.011	0.016	0.012	0.009	0.59
1991	0.023	0.092	0.127	0.133	0.112	0.044	0.011	0.010	0.011	0.017	0.012	0.009	0.60
1992	0.030	0.090	0.167	0.142	0.071	0.024	0.011	0.013	0.009	0.012	0.014	0.013	0.60
1993	0.031	0.082	0.149	0.105	0.070	0.030	0.020	0.014	0.014	0.018	0.017	0.017	0.57
1994	0.029	0.057	0.159	0.120	0.065	0.024	0.016	0.016	0.017	0.021	0.021	0.017	0.56
1995	0.041	0.090	0.123	0.077	0.071	0.026	0.019	0.018	0.019	0.024	0.024	0.024	0.56
1996	0.021	0.078	0.118	0.111	0.071	0.033	0.020	0.020	0.023	0.028	0.028	0.026	0.58
1997	0.054	0.072	0.136	0.116	0.075	0.035	0.026	0.026	0.025	0.033	0.036	0.024	0.66
1998	0.048	0.083	0.133	0.128	0.104	0.043	0.025	0.025	0.025	0.045	0.038	0.034	0.73
1999	0.066	0.108	0.173	0.140	0.105	0.048	0.028	0.033	0.039	0.058	0.051	0.044	0.89
2000	0.064	0.144	0.170	0.140	0.088	0.046	0.038	0.067	0.042	0.051	0.051	0.055	0.96
2001	0.071	0.082	0.173	0.152	0.103	0.052	0.041	0.044	0.051	0.057	0.051	0.043	0.92
2002	0.053	0.083	0.169	0.137	0.099	0.065	0.051	0.053	0.059	0.065	0.071	0.060	0.96
2003	0.092	0.141	0.153	0.128	0.098	0.053	0.056	0.052	0.058	0.073	0.077	0.063	1.04
2004	0.081	0.090	0.203	0.171	0.107	0.076	0.058	0.058	0.070	0.074	0.069	0.068	1.12
2005	0.119	0.149	0.164	0.121	0.101	0.070	0.059	0.053	0.062	0.071	0.075	0.072	1.12
2006	0.148	0.180	0.205	0.183	0.180	0.130	0.040	0.027	0.008	0.012	0.017	0.005	1.13
2007	0.068	0.140	0.207	0.135	0.101	0.079	0.059	0.057	0.071	0.088	0.090	0.066	1.16
2008	0.096	0.144	0.170	0.115	0.106	0.086	0.068	0.071	0.081	0.089	0.086	0.073	1.18
2009	0.101	0.149	0.180	0.128	0.113	0.091	0.081	0.077	0.091	0.103	0.097	0.083	1.29
2010	0.128	0.167	0.228	0.153	0.146	0.118	0.091	0.082	0.107	0.123	0.012	0.010	1.37

1/ Represents an estimate of the monthly disappearance of fresh market asparagus using Market News total (domestic and import) shipments as a distributor of annual disappearance. Per capita disappearance includes both domestic and net imports.

Source: Computed by USDA, ERS.