

APPENDIX E

CITATIONS

- An C, Hersey J, Richa N. A compendium of data resources for planning and assessing state and community-based nutrition education programs. Final report submitted to the U.S. Department of Agriculture, Economic Research Service. Washington, DC: Research Triangle Institute, January 2003.
- Anliker J, Willis W, Montgomery S. The development and testing of the behavior checklist questions for the EFNEP evaluation/reporting system. Available at: <http://www.reeusda.gov/ers4/srs-checklistdeveloping.pdf>. Accessed February 17, 2004.
- Baranowski T, Davis M, Resnicow K, Baranowski J, Doyle C, Lin LS, Smith M, Wang DT. Gimme 5 fruit, juice, and vegetables for fun and health: outcome evaluation. *Health Educ Behav* 2000; 27: 96-111.
- Bell RA, Quandt SA, Arcury TA, McDonald J, Vitolins MZ. Health behaviors of rural white African American and Native American elders. *Am J Health Behav* 2000; 24(5): 349-360.
- Beresford SA, Thompson B, Feng Z, Christianson A, McLerran D, Patrick DL. Seattle 5 a Day worksite program to increase fruit and vegetable consumption. *Prev Med* 2001; 32(3): 230-238.
- Beresford SAA, Shannon J, McLerran D, Thompson B. Seattle 5-a-Day worksite project: process evaluation. *Health Educ Behav* 2000; 27(2): 213-222.
- Block G, Gillespie C, Rosenbaum EH, Jenson C. A rapid food screener to assess fat and fruit and vegetable intake. *Am J Prev Med* 2000; 18(4): 284-288.
- California Department of Health Service. Cancer Prevention and Nutrition Section. Research and Evaluation Unit. A Compendium of Survey Instruments of Fruit and Vegetable Consumption and Physical Activity. California. 2003-2004 Edition.
- Calle EE, Rodriguez C, Jacobs EJ, Almon ML, Chao A, McCullough ML, Feigelson HS, Thun MJ. The American Cancer Society Cancer Prevention Study II nutrition cohort: rationale, study design, and baseline characteristics. *Cancer* 2002; 94(8): 2490-2501.
- Campbell MK, Demark Wahnefried W, Symons M, Kalsbeek WD, Dodds J, Cowan A, Jackson B, Motsinger B, Hoben K, Lashley J, Demissie S, McClelland JW. Fruit and vegetable consumption and prevention of cancer: the Black Churches United for Better Health Project. *Am J Public Health* 1999; 89: 1390-1396.
- Capps O, Cleveland L, Park J. Dietary behaviors associated with total fat and saturated fat intake. *J Am Diet Assoc* 2002; 102: 490-496,501-502.
- Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Questionnaire. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2002.
- Food and Drug Administration, Center for Food Safety and Applied Nutrition. Health and Diet Survey 2002.

- Food Marketing Institute. Shopping for Health 2003: whole health for the whole family. Prevention Magazine 2003; 1-58.
- Gleason P, Rangarajan A, Olson C. Dietary Intake and Dietary Attitudes Among Food Stamp Participants and Other Low-Income Individuals. Final report submitted to the U.S. Department of Agriculture, Food and Nutrition Service. Princeton, NJ: Mathematica Policy Research, September 2000.
- Haves S, Anliker J, Damron D, Feldman R, Langenberg P. Uses of Process Evaluation in the Maryland WIC 5-a-Day promotion program. Health Educ Behav 2000; 27(2): 254-263.
- Havas S, Anliker J, Damron D, Langenberg P, Ballesteros M, Feldman R. Final results of the Maryland WIC 5-A-Day promotion program. Am J Public Health 1998; 88(8): 1161-1167.
- Havas S, Damron D, Treiman K, Anliker J, Langenberg P, Hammad TA, Ballesteros M, Freimuth V, Feldman R. The Maryland WIC 5 A Day promotion program pilot study: rationale, results, and lessons learned. J Nutr Educ 1997; 29: 343-350.
- Havas S, Heimendinger J, Reynolds K, Baranowski T, Nicklas T, Bishop D, Buller D, Sorensen G, Beresford SA, Cowan A, Damron D. 5 A Day for Better Health: A new research initiative. J Am Diet Assoc 1994; 94: 32-36.
- Hersey J, Anliker J, Miller C, Mullis RM, Daugherty S, Das S, Bray CR, Bennee P, Sigman-Grant M, Thomas HO. Food shopping practices are associated with dietary quality in low income households. J Nutr Educ 2001; 33(1): S16-S26.
- Hunt MK, Stoddard AM, Peterson K, Sorensen G, Hebert JR, Cohen N. Comparison of dietary assessment measures in the Treatwell 5 A Day worksite study. J Am Diet Assoc 1998; 98: 1021-1023.
- Interagency Board for Nutrition Monitoring and Related Research. Bialostosky K, ed. Nutrition monitoring in the United States: The directory of Federal and State nutrition monitoring and related research activities. Hyattsville, Maryland: National Center for Health Statistics 2000.
- Kristal AR, Beresford SA, Lazovich D. Assessing change in diet-intervention research. Am J Clin Nutr 1994; 54(Supp): 185S-9S.
- Kristal AR, Shattuck AL, Henry HJ. Patterns of dietary behavior associated with selecting diets low in fat: reliability and validity of behavioral approach to dietary assessment. J Am Diet Assoc 1990; 90(21): 214-220.
- Kristal AR, Vizenor NC, Patterson RE, Neuhouser ML, Shattuck AL, McLerran D. Precision and bias of food frequency-based measures of fruit and vegetable intakes. Cancer Epidemiol Biomarkers Prev 2000; 9: 939-944.
- Kuchler F, Lin B-H. The influence of individual choices and attitudes on adiposity. Int J Obes 2002; 26: 1017-1022.

- Lin BH, Huang CL, French SA. Factors associated with women's and children's body mass indices by income status. *Int J Obes*. 2004 (in press).
- McClelland JW, Demark-Wahnefried W, Mustian RD, Cowan AT, Campbell MK. Fruit and vegetable consumption of rural African Americans: baseline survey results of the Black Churches United for Better Health 5 A Day Project. *Nutr Cancer* 1998; 30(2): 148-157.
- Murphy SP, Bunch SJ, Kaiser LL, Townsend MS, Joy AB, Allen LH, Peerson J. Validation of a brief checklist to evaluate nutrition education interventions. Final Report to USDA/FCS. University of California: Davis. May 1998.
- Murphy SP, Kaiser LL, Townsend MS, Allen LH. Evaluation of validity of items for a food behavior checklist. *J Am Diet Assoc* 2001; 101(7): 751-761.
- National Cancer Institute, Cancer Control and Population Sciences. Diet History Questionnaire. Available at: <http://riskfactor.cancer.gov>. Accessed February 24, 2004.
- National Cancer Institute. Health Habits and History Questionnaire: diet history and other risk factors. March 1997.
- National Center of Health Statistics. National Health and Nutrition Examination Survey 1999-2003. Available at: <http://www.cdc.gov/nchs/nhanes.htm>. Accessed February 16, 2004.
- National Center of Health Statistics. National Health Interview Survey. Available at: <http://www.cdc.gov/nchs/nhis.htm>. Accessed February 16, 2004.
- Obayashi S, Bianchi LJ, Song WO. Reliability and Validity of Nutrition Knowledge, Social-Psychological Factors, and Food Label Use Scales from the 1995 Diet and Health Knowledge Survey. *J Nutr Educ Behav*. 2003; 35: 83-92.
- Oppen M, Sugarman S, Foerster SB. Fruit and vegetable consumption in California adults: ten year highlights from the California Dietary Practices Survey 1989-1999. Oakland, CA: The Public Health Institute, November 2002.
- Perez-Escamilla R, Haldeman L. Food label use modifies association of income with dietary quality. *J Nutr*. 2002;132:768-772.
- Reynolds KD, Yaroch AL, Franklin FA, Maloy J. Testing mediating variables in a school based nutrition intervention program. *Health Psychology* 2002; 21(1):51-60.
- Schulundt DG, Hargreaves MK, Buchowski MS. The eating behavior patterns questionnaire predicts dietary fat intake in African American women. *J Am Diet Assoc* 2003; 103(3): 338-345.
- Serdula M, Coates R, Byers T, Mokdade A, Jewell S, Chavez N, Mares-Perlman J, Newcomb P, Ritenbaugh C, Triber F, Block G. Evaluation of a brief telephone questionnaire to estimate fruit and vegetable consumption in diverse study populations. *Epidemiology* 1993; 4(5): 455-463.

- Shannon J, Kristal AR, Curry SJ, Beresford SA. Application of a behavioral approach to measuring dietary change: the fat- and fiber-related diet behavior questionnaire. *Cancer, Epidemiology, Biomarkers, and Prevention* 1997; 6: 355-361.
- Smith-Warner SA, Elmer PJ, Fosdick L, Tharp TM, Randall B. Reliability and comparability of three dietary assessment methods for estimating fruit and vegetable intakes. *Epidemiology* 1997; 9(2): 196-201.
- Smucker R, Block G, Coyle L, Harvin A, Kessler L. A dietary and risk factor questionnaire and analysis system for personal computers. *Am J Epidemiol* 1989; 129(2):445-449.
- Sorensen G, Stoddard A, Peterson K, Cohen N, Hunt MK, Stein E, Palombo R, Lederman R. Increasing fruit and vegetable consumption through worksites and families in the Treatwell 5-a-Day study. *Am J Public Health* 1999; 89: 54-60.
- Spoon MP, Devereau PG, Benedict JA, Leontos C, Constantino N, Christy D, Snow G. Usefulness of the food habits questionnaire in a worksite setting. *J Nutr Educ Behav* 2002; 34(5): 268-272.
- Stables G, Heimendinger J, eds. 5 a Day for Better Health Program Monograph. Bethesda, MD: National Institutes of Health, National Cancer Institutes; 2001.
- Stables GJ, Subar AF, Patterson BH, Dodd K, Heimendinger J, Van Duyn MAS, Nebeling L. Changes in vegetable and fruit consumption and awareness among US adults: results of the 1991 and 1997 5 A Day for Better Health Program surveys. *J Am Diet Assoc* 2002; 102: 809-817.
- Subar AF, Heimendinger J, Patterson BH, Krebs-Smith SM, Pivonka E, Kessler R. Fruit and vegetable intake in the United States: the baseline survey of the Five A Day for Better Health Program. *Am J Health Promot* 1995; 9(5): 352-360.
- Subar AF, Thompson FE, Kipnis V, Midthune D, Hurwitz P, McNutt S, McIntosh A, Rosenfeld S. Comparative validation of the Block, Willett, and national Cancer Institute Food Frequency Questionnaires. *Am J Epidemiol* 2001; 154: 1089-1099.
- Thompson FE, Kipnis V, Subar AF, Krebs-Smith SM, Kahle LL, Midthune D, Potischman N, Schatzkin A. Evaluation of 2 brief instruments and a food-frequency questionnaire to estimate daily number of servings of fruit and vegetables. *Am J Clin Nutr* 2000; 71: 1503-1510.
- Thompson FE, Subar AF, Brown CC, Smith AF, Sharbaugh CO, Jobe JB, Mittl B, Gibson JT, Ziegler RG. Cognitive research enhances accuracy of food frequency questionnaire reports: results of an experimental validation study. *J Am Diet Assoc* 2002a; 102: 212-218, 223-225.
- Thompson FE, Subar AF, Smith AF, Midthune D, Radimer KL, Kahle LL, Kipnis V. Fruit and vegetable assessment: performance of 2 new short instruments and a food frequency questionnaire. *J Am Diet Assoc* 2002b; 102: 1764-1772.

- Townsend MS, Kaiser LL, Allen LH, Joy AB, Murphy SM. Selecting items for a food behavior checklist for a limited resource audience. *J Nutr Educ Behav* 2003; 35(2): 69-82.
- University of Michigan. Population Study of Income Dynamics. PSID Guide. Available at: <http://www.psidonline.isr.umich.edu/Guide>. Accessed February 29, 2004.
- U.S. Department of Agriculture, Agricultural Research Service. Diet and Health Knowledge Survey 1994-1996. Available at: <http://www.barc.usda.gov/bhnrc/foodsurvey/pdf/dhks.pdf>. and <http://www.barc.usda.gov/bhnrc/foodsurvey/pdf/dhks9496.pdf>. Accessed February 12, 2004.
- U.S. Department of Labor. Bureau of Labor Statistics. Current Population Survey: technical paper 63V Design and Methodology. March 2002.
- Warneke CL, Davis M, De Moor C, Baranowski T. A 7-item versus 31-item food frequency questionnaire for measuring fruit, juice, and vegetable intake among a predominantly African-American population. *J Am Diet Assoc* 2001; 101:774-779.
- Weaver M, Poehlitz M, Hutchison S. 5 A Day for low-income families: evaluation of an advertising campaign and cooking events. *J Nutr Educ* 1999; 31(3): 161-169.
- Zambrowski A, Ohls J. File documentation for the national food stamp program survey. Mathematica Policy Research. Washington, DC: Mathematica Policy Research, Inc. 1999.